10-8340-219-24 P

TM 10-8340-219-24P

DEPARTMENT OF THE ARMY TECHNICAL MANUAL

ORGANIZATIONAL, DIRECT AND GENERAL SUPPORT
MAINTENANCE REPAIR PARTS AND SPECIAL TOOLS LIST

TENT, FRAME TYPE, UNIVERSAL FIELD MAINTENANCE, EXPANDABLE, COTTON DUCK, FIRE, MILDEW, WATER AND WEATHER RESISTANT, W/O FLOOR, FLOOR AREA, 27 FT. WIDE, 22 FT. HIGH, 64 FT. LONG, LENGTH EXPANDABLE IN 8-FOOT INCREMENTS, W/COVERS, FRAMES, GROUND ANCHOR KIT, LINERS
FSN 8340-935-6372

This copy is a reprint which includes current pages from Change 1.

HEADQUARTERS, DEPARTMENT OF THE ARMY
FEBRUARY 1970

READEX FICHE best copy available

D 101.11:

CHANGE
No. 1

HEADQUARTERS
DEPARTMENT OF THE ARMY
WASHINGTON, D. C. 24 February 1972

Organizational, Direct and General Support Maintenance Repair Parts and Special Tools List

TENT, FRAME TYPE, UNIVERSAL FIELD MAINTENANCE, EXPANDABLE, COTTON DUCK, FIRE, MILDEW, WATER AND WEATHER RESISTANT, W/O FLOOR, FLOOR AREA, 27 FT. WIDE, 22 FT. HIGH, 64 FT. LONG, LENGTH EXPANDABLE IN 8 FT. INCREMENTS, W/COVERS, FRAMES, GROUND ANCHOR KIT, LINERS FSN 8340-935-6372

Current as of 25 January 1972

TM 10-8340-219-24P, 17 February 1970, is changed as follows:

Page	Line	Action	1 Source Maintenance and Recoverability Code: Source	Maintenance	Recoverability	2 Federal stock No.	3 Description	4 Unit of Issue	5 Quantity Incorporated in Unit	6 15-Day Organizational Maint. Allowance: 1-5	6-20	21-50	51-100	7 Illustrations: Figure No.	Item or symbol No.
							SECTION III—REPAIR PARTS FOR ORGANIZATIONAL MAINTENANCE								
							GROUP 03—FRAME ASSEMBLY AND TENT SUPPORT COMPONENTS								
4	11	Ch col 2				5310-050-3286	NUT, SELF-LOCKING, HEXAGON: *** 503289 (00000)								
	15	Ch col 2				5310-761-6882	NUT, PLAIN, HEXAGON: *** AN 335-4 (88044)								
6	10	Ch col 2				5310-951-7209	WASHER, PLAIN: *** MS 27183-22 (96906)								
	18	Ch col 2				5305-984-6206	SCREW, MACHINE FLATHEAD: *** MS 35225-59 (96906)								
	19	Ch col 2				5310-576-5752	WASHER, LOCK, INTERNAL TOOTH: *** MS 35333-22 (96906)								
							GROUP 04—TENT ANCHORING COMPONENTS								
7	3	Ch col 2				5120-134-4725	HANDLE, WOOD: *** S294-1 HANDLE-9-495 (81337)								
							GROUP 05—ELECTRICAL EQUIPMENT								
8	4	Ch col 2				5310-045-5207	WASHER, FLAT: *** MS 15795-6081 (96906)								
	6	Ch col 2				5310-685-6308	WASHER, PLAIN: *** 120385 (00000)								

Page	Line	Action	(1) SMR Code / Index No.	(2) Federal stock No	(3) Description / Reference No. & mfr. code / Usable on code	(4) Unit of issue	(5) Qty inc in unit	(6) 30-Day DS maint allowance (a) 1-20	(b) 21-50	(c) 51-100	(7) 30-Day GS maint allowance (a) 1-20	(b) 21-50	(c) 51-100	(8) 1-yr alw per 100 equip cntgcy	(9) Depot maint alw per 100 equip	(10) Illustration (a) Fig No.	(b) Item No.
					SECTION V—REPAIR PARTS FOR DS AND GS MAINTENANCE												
					GROUP 01—TENT BODY												
10	4	Ch col 3			FLAP, ASSEMBLY MANUFACTURE FROM: CLOTH, COTTON, DUCK, as required, FSN 8305-926-6171 ***												
	5	Ch col 3			HEATER DUCT SLEEVE *** MANUFACTURE FROM: CLOTH, COTTON, DUCK, as required FSN 8305-926-6171 ***												
	6	Ch col 3			VENTILATOR, HOOD *** MANUFACTURE FROM: CLOTH, COTTON, DUCK, as required FSN 8305-926-6171												
	8	Ch col 3			VENTILATOR, FLAP *** MANUFACTURE FROM: CLOTH, COTTON, DUCK, as required FSN 8305-926-6171 ***												
11	4	Ch col 3			VENTILATOR, FLAP *** MANUFACTURE FROM: CLOTH, COTTON, DUCK, as required FSN 8305-926-6171 ***												
	7	Ch col 3			FLAP, BECKET, GROMMET, END *** MANUFACTURE FROM: CLOTH, COTTON, DUCK, as required FSN 8305-926-6171 ***												
	8	Ch col 3			FLAP, BECKET, LOOP END *** MANUFACTURE FROM: CLOTH, COTTON, DUCK, as required FSN 8305-926-6171												
12	2	Ch col 3			SLEEVE, GUY LINE *** MANUFACTURE FROM: CLOTH, COTTON, DUCK, as required FSN 8305-926-6171												

Page	Line	Action	(1) SMR Code / Index No.	(2) Federal stock No.	(3) Description / Reference No. & mfr. code / Usable on code	(4) Unit of issue	(5) Qty inc in unit	(6) 30-Day DS maint allowance (a) 1-20	(b) 21-50	(c) 51-100	(7) 30-Day GS maint allowance (a) 1-20	(b) 21-50	(c) 51-100	(8) 1-yr alw per 100 equip cntgcy	(9) Depot maint alw per 100 equip	(10) Illustration (a) Fig No.	(b) Item No.
					GROUP 01—TENT BODY (Cont'd)												
13	2	Ch col 3			SPAR, POCKET, LOWER *** MANUFACTURE FROM: CLOTH, COTTON, DUCK, as required, FSN 8305-926-6171												
	4	Ch col 3			SPAR, POCKET, UPPER *** MANUFACTURE FROM: CLOTH, COTTON, DUCK, as required FSN 8305-926-6171												
	7	Ch col 3			PURLIN, FLAP: *** MANUFACTURE FROM: CLOTH, COTTON, DUCK, as required FSN 8305-926-6171 ***												
	8	Ch col 3			PURLIN, FLAP: *** MANUFACTURE FROM: CLOTH, COTTON, DUCK, as required FSN 8305-926-6171												
14	1	Ch col 3			PURLIN FLAP: *** MANUFACTURE FROM: CLOTH, COTTON, DUCK, as required FSN 8305-926-6171												
					GROUP 03—FRAME ASSEMBLY AND TENT SUPPORT COMPONENTS												
16	11	Ch col 2		5310-050-3286	NUT, SELF-LOCKING, HEXAGON: *** 503289 (00000)												
	15	Ch col 2		5310-761-6882	NUT, PLAIN, HEXAGON: *** AN 335-4 (88044)												
18	5	Ch col 2		5305-253-5629	SCREW, DRIVE, ROUNDHEAD: *** MS 21318-53 (96906)												
	17	Ch col 2		5310-951-7209	WASHER, PLAIN: *** MS 27183-22 (96906)												
19	6	Ch col 2		5305-984-6206	SCREW, MACHINE, FLATHEAD: *** MS 35225-59 (96906)												

Page	Line	Action	(1) SMR Code / Index No.	(2) Federal stock No.	(3) Description / Reference No. & mfr. code / Usable on code	(4) Unit of issue	(5) Qty inc in unit	(6) 30-Day DS maint allowance (a) 1-20	(b) 21-50	(c) 51-100	(7) 30-Day GS maint allowance (a) 1-20	(b) 21-50	(c) 51-100	(8) 1-yr alw per 100 equip cntgcy	(9) Depot maint alw per 100 equip	(10) Illustration (a) Fig No.	(b) Item No.
					GROUP 03—FRAME ASSEMBLY AND TENT SUPPORT COMPONENTS (Cont'd)												
19	7	Ch col 2		5310-576-5752	WASHER, LOCK, INTERNAL TOOTH: *** MS 35333-22 (96906)												
20	11	Ch col 2		5310-761-6882	NUT, PLAIN HEXAGON: *** AN 335-4 (88044)												
	17	Ch col 2		5310-732-0558	NUT, HEXAGON: *** MS 35690-605 (96906)												
	18	Ch col 2		5310-550-2379	WASHER, FLAT: *** 446212 (00000)												
21	15	Ch col 2		5310-637-9541	WASHER, LOCK: *** 5-4-1085-9-25 (81337)												
	16	Ch col 2		5310-732-0558	NUT, PLAIN, HEXAGON: *** MS 35690-605 (96906)												
					GROUP 04—TENT ANCHORING COMPONENTS												
22	3	Ch col 2		5120-134-4725	HANDLE, WOOD: *** S294-1 HANDLE 5-4-495 (81337) ***												
					GROUP 05—ELECTRICAL EQUIPMENT												
	4	Ch col 2		5310-045-5207	WASHER, FLAT: *** MS 15795-6081 (96906)												
	6	Ch col 2		5310-685-8308	WASHER, PLAIN: *** 120385 (00000)												

Page No. 38. Add the following FSN's, Figure No. and item No. to the index. List all items in FSN numerical sequence.

FSN	*Figure No.*	*Item No.*
5120-051-8641	11	4
970-1222	13	5
5305-253-5629	6	10
269-3209	9	14
269-3216	9	3
983-7466	7	19
984-6206	7	15
988-1729	9	8
5310-044-6230	7	20
050-3286	4	20
050-3289	7	6
550-2379	9	13
576-5752	7	16
595-7421	7	18
951-7209	7	7
957-7128	9	4
5315-057-5541	8	2
5320-117-6884	7	22
5340-828-4229	8	8
970-1229	7	12
8340-050-8746	7	8
126-2579	8	4
126-2583	8	3
8340-126-2588	7	1
126-2589	7	1
132-1109	7	9
454-9065	7	2
454-9066	7	2
845-4205	7	21
845-4208	7	3
845-4209	7	5
845-4211	6	12
845-4212	6	8
845-4229	9	5
845-5384	7	10
845-5387	8	1
845-4024	7	3
935-6339	3	1
935-6340	3	2
951-0980	8	7
951-0981	7	8
951-0983	6	9
951-0997	9	2
951-1003	8	9
951-1006	4	18
951-1008	6	11

Page 38. Delete the following FSN's, Figure No., and Item No. from the Index.

FSN	*Figure No.*	*Item No.*
5120-970-6413	11	3
5310-012-0377	10	13
012-0382	10	12
012-0385	12	7
050-3285	4	20
176-8164	4	24
616-6353	12	4

Page 39. All reference numbers for the above listed federal stock numbers should be appropriately reflected in the index of the manual.

By Order of the Secretary of the Army:

W. C. WESTMORELAND,
General, United States Army,
Chief of Staff.

Official:

VERNE L. BOWERS,
Major General, United States Army,
The Adjutant General.

Distribution:

To be distributed in accordance with DA Form 12-25A, (qty rqr block No. 870) organization maintenance requirements for Tent, Frame Type.

TECHNICAL MANUAL
NO. 10-8340-219-24P

HEADQUARTERS
DEPARTMENT OF THE ARMY
WASHINGTON, D.C., *17 February 1970*

ORGANIZATIONAL, DIRECT AND GENERAL SUPPORT, MAINTENANCE REPAIR PARTS AND SPECIAL TOOLS LIST

TENT, FRAME TYPE, UNIVERSAL FIELD MAINTENANCE, EXPANDABLE, COTTON DUCK, FIRE, MILDEW, WATER AND WEATHER RESISTANT, W/O FLOOR, FLOOR AREA, 27 FT. WIDE, 22 FT. HIGH, 64 FT. LONG, LENGTH EXPANDABLE IN 8-FOOT INCREMENTS, W/COVERS, FRAMES, GROUND ANCHOR KIT, LINERS

FSN 8340-935-6372

Current as of 18 December 1969

		Listing Page	Illustration Figure
Section I.	INTRODUCTION	iii	
II.	PRESCRIBED LOAD ALLOWANCE	1	
III.	REPAIR PARTS FOR ORGANIZATIONAL MAINTENANCE	3	
Group 01.	Tent Body	3	
	Tent body		1
02.	Tent Liner	3	
	Tent Liner		3
03.	Frame Assembly and Tent Support Components	3	
	Arch assembly end section		4
	Arch assembly intermediate section		5
	Purlin assemblies		6
	Door post assembly		7
	Door spar assembly		8
	Door winch and transom chord assembly		9
	Door winch shaft assembly		10
04.	Tent Anchoring Components	7	
	Tent anchoring components		11
05.	Electrical Equipment	8	
	Electrical equipment		12
06.	Kits and Sets	8	
Section IV.	SPECIAL TOOLS, TEST AND SUPPORT EQUIPMENT FOR ORGANIZATIONAL MAINTENANCE	9	
Group 07.	Tent Accessories and Special Tools	9	13
Section V.	REPAIR PARTS FOR DS AND GS MAINTENANCE	10	
Group 01.	Tent Body	10	
	Tent body		1
	End arch section and vehicle door		2
02.	Tent Liner	14	
	Tent liner		3
03.	Frame Assembly and Tent Support Components	15	
	Arch assembly end section		4
	Arch assembly intermediate section		5
	Purlin assemblies		6
	Door post assembly		7
	Door spar assembly		8
	Door winch and transom chord assembly		9
	Door winch shaft assembly		10
04.	Tent Anchoring Components	22	
	Tent anchoring components		11

		Listing Page	Illustration Figure
05.	Electrical Equipment	22	
	Electrical equipment		12
06.	Kits and Sets	23	
Section VI.	SPECIAL TOOLS, TEST AND SUPPORT EQUIPMENT FOR DS AND GS MAINTENANCE	24	
Group 07.	Tent Accessories and Special Tools	24	13
Section VII.	FEDERAL STOCK NUMBER AND REFERENCE NUMBER INDEX	38	

Section I.
INTRODUCTION

1. Scope

This manual lists repair parts, special tools, test and support equipment required for the performance of organizational, direct support and general support maintenance of the tent.

2. General

This Repair Parts and Special Tools List is divided into the following sections:

a. Prescribed Load Allowance (PLA) — Section II. A composite listing of repair parts, special tools, test and support equipment having quantitative allowances for initial stockage at the organizational level.

b. Repair Parts — Section III. A list of repair parts authorized for the performance of maintenance at the organizational level in figure and item number sequence.

c. Kits and Sets. Repair parts kits and sets are listed separately as Group 06 at the end of the repair parts list without regard to the assembly group to which they belong. Components of the kits and sets are listed in their proper sequence in the assembly group to which they belong and are referenced to the FSN of the kit or set

d. Special Tools, Test and Support Equipment — Section IV. A list of special tools, test and support equipment authorized for the performance of maintenance at the organizational level.

e. Repair Parts — Section V. A list of repair parts authorized for the performance of maintenance at the direct support and general support level in figure and item number sequence.

f. Special Tools, Test and Support Equipment — Section VI. A list of special tools, test and support equipment authorized for the performance of maintenance at the direct support and general support level.

g. Federal Stock Number and Reference Number Index — Section VII. A list of Federal stock numbers in ascending numerical sequence, followed by a list of reference numbers appearing in all of the listings, in alpha-numeric sequence, cross-referenced to the illustration figure number and item number.

NOTE

Items not illustrated are cross-referenced to assembly group number.

3. Explanation of Columns

The following provides an explanation of columns in the tabular lists in sections II through VI.

a. Source, Maintenance, and Recoverability Codes (SMR).

NOTE

Common hardware items known to be readily available in Army supply channels are assigned Maintenance codes only. Source codes, Recoverability codes, and Maintenance Allowances are not assigned this category.

(1) *Source code.* Indicates the selection status and source for the listed item. Source codes used are:

Code	Explanation
P	Repair parts which are stocked in or supplied from the GSA /DSA, or Army supply system and authorized for use at indicated maintenance categories.
M	Repair parts which are not procured or stocked, but are to be manufactured in indicated maintenance levels.
A	Assemblies which are not procured or stocked as such, but are made up of two or more units. Such component units carry individual stock numbers and descriptions, are procured and stocked separately and can be assembled to form the required assembly at indicated maintenance categories.
X	Parts and assemblies which are not procured or stocked and the mortality of which normally is below that of the applicable end item or component. The failure of such part or assembly should result in retirement of the end item from the supply system.
X1	Repair parts which are not procured or stocked. The requirement of such items will be filled by the use of the next higher assembly or component.
X2	Repair parts which are not stocked. The indicated maintenance category requiring such repair parts will attempt to obtain them through cannibalization. Where such repair parts are not obtainable through cannibalization, requirements will be requisitioned, with accompanying justification, through normal supply channels.
G	Major assemblies that are procured with PEMA funds for initial issue only as exchange assemblies at DSU and GSU level. These assemblies will not be stocked above GS and DS level or returned to depot supply levels.

(2) *Maintenance code.* Indicates the lowest category of maintenance authorized to install the listed item. The maintenance codes are:

Code	Explanation
O	Organizational maintenance
F	Direct support maintenance
H	General support maintenance

(3) *Recoverability code.* Indicates whether unserviceable items should be returned for recovery or salvage. Items not coded are expendable. Recoverability codes are:

Code	Explanation
R	Applied to Repair parts (assemblies and components) which are considered economically repairable at direct and general support maintenance levels. When the maintenance capability to repair these items does not exist, they are normally disposed of at the GS level. When supply considerations dictate, some of these repair parts may be listed for automatic return to supply for depot level repair as set forth in AR 710-50. When so listed, they will be replaced by supply on an exchange basis.

S — Repair parts and assemblies which are economically repairable at DSU and GSU activities and which normally are furnished by supply on an exchange basis. When items are determined by a GSU to be uneconomically repairable they will be evacuated to a depot for evaluation and analysis before final disposition.

T — High dollar value recoverable repair parts which are subject to special handling and are issued on an exchange basis. Such repair parts are normally repaired or overhauled at depot maintenance activities.

U — Repair parts specifically selected for salvage by reclamation units because of precious metal content, critical materials, or high dollar value reusable casings or castings.

b. Federal Stock Number. Indicates the Federal stock number assigned to the item and will be used for requisitioning purposes.

c. Description. Indicates the Federal item name and any additional description of the item required. Assembly components and subassemblies are indented under major assemblies. The abbreviation "w/e" when used as a part of the nomenclature, indicates the Federal stock number includes all armament, equipment, accessories, and repair parts issued with the item. A part number or other reference number is followed by the applicable 5-digit Federal supply code for manufacturers in parenthesis. Repair parts quantities included in kits and sets are shown in front of the repair part name. Material required for manufacture or fabrication is identified.

d. Unit of Measure (U/M). A two character alphabetic abbreviation indicating the amount or quantity of the item upon which the allowances are based, e.g., ft, ea, pr, etc.

e. Quantity Incorporated in Unit. Indicates the quantity of the item used in the assembly group. A "V" appearing in this column in lieu of a quantity indicates that a definite quantity cannot be indicated e.g., shims, spacers, etc.).

f. 15-Day Organizational Maintenance Allowance.

(1) The allowance columns are divided into four subcolumns. Indicated in each subcolumn opposite the first appearance of each item is the total quantity of the items authorized for the number of equipments supported. Subsequent appearances of the same item will have the letters "REF" in the allowance column. To locate the referenced item, locate the FSN or reference number in the index. The earliest figure and item number is the referenced item. Items authorized for use as required but not for initial stockage are identified with an asterisk in the allowance column.

(2) The quantitative allowance for organizational level of maintenance represents one initial prescribed load for a 15-day period for the number of equipments supported. Units authorized additional prescribed loads, multiply the number of prescribed loads by the quantity in the appropriate density column to determine the number of repair parts authorized.

(3) To determine allowances when supporting more than 100 of these equipments: First, divide the number of equipments supported by 100 by moving the decimal two spaces left; second, multiply the result by the quantity in the 51-100 density column. Example, authorized allowance for 51-100 equipments is 12; for 140 equipments, multiply 12 by 1.40 or 16.80 rounded off to 17 parts required.

(4) Subsequent changes to allowances will be limited as follows: No change in the range of items is authorized. If additional items are considered necessary, recommendation should be forwarded to the U. S. Army Mobility Equipment Command for exception or revision to the allowance list. Revisions to the range of items authorized will be made by the U. S. Army Mobility Equipment Command based upon engineering experience, demand data, or TAERS information.

g. 30-Day DS/GS Maintenance Allowances.

NOTE

Allowances in GS column are for GS maintenance only.

(1) The allowance columns are divided into three subcolumns. Indicated in each subcolumn, opposite the first appearance of each item, is the total quantity of items authorized for the number of equipments supported. Subsequent appearances of the same item will have the letters "REF" in the applicable allowance column. To locate the referenced item locate the FSN or referenced item. Items authorized for use as required but not for initial stockage are identified with an asterisk in the allowance column.

(2) The quantitative allowances for DS/GS levels of maintenance will represent initial stockage for a 30-day period for the number of equipments supported.

(3) To determine allowances when supporting more than 100 of these equipments. First, divide the number of equipments supported by 100 by moving the decimal two places left; second, multiply the result by the quantity in the 51-100 density column. Example, authorized allowance for 51-100 equipments is 40; for 150 equipments multiply 40 by 1.50 or 60 parts required.

h. 1-Year Allowance Per 100 Equipments/Contingency Planning Purposes. Indicates opposite the first appearance of each item the total quantity required for distribution and contingency planning purposes. The range of items indicates total quantities of all authorized items required to provide for adequate support of 100 equipments for one year. Subsequent appearance of the same item will have the letters "REF" in the allowance column.

i. Illustration. This column is divided as follows:

(1) *Figure number.* Indicates the figure number of the illustration in which the item is shown.

(2) *Item number.* Indicates the callout number used to reference the item in the illustration.

4. Special Information

a. Repair parts mortality has been based on 8,000 hours operation per year.

b. Parts which require manufacture or assembly at a category higher than that authorized for installation will indicate in the source column the higher category.

c. The following publication pertains to the tent and its components:

TM 10-8340-219-14	Operator, Organizational and Direct Support Maintenance Manual

d. The same illustrations are used to illustrate the repair parts and special tools listed in both organizational maintenance section and direct and general support maintenance section.

5. How to Locate Repair Parts

a. When Federal stock number or reference number is unknown:

(1) *First.* Using the table of contents determine the assembly group within which the repair part belongs. This is necessary since illustrations are prepared for assembly groups, and listings are divided into the same groups.

(2) *Second.* Find the illustration covering the assembly group to which the repair part belongs.

(3) *Third.* Identify the repair part on the illustration and note the illustration figure and item number of the repair part.

(4) *Fourth.* Using the Repair Parts Listings, find the assembly group to which the repair part belongs and locate the illustration figure and item number noted on the illustration.

b. When Federal stock number or reference is known:

(1) *First.* Using the Index of Federal Stock Numbers and Reference Numbers find the pertinent Federal stock number or reference number. This index is in ascending FSN sequence followed by a list of reference numbers in alpha-numeric sequence, cross-referenced to the illustration figure number and item number.

(2) *Second.* Using the Repair Parts Listing, find the assembly group of the repair part and the illustration figure number and item number referenced in the Index of Federal Stock Numbers and Reference Numbers.

c. When the Federal stock number or reference number is known and the repair part is not illustrated:

(1) *First.* Using the Index of Federal Stock Numbers and Reference Numbers find the pertinent Federal stock number or reference number in the section titled Items not Illustrated and note the group number. This section is in ascending FSN sequence followed by a list of reference numbers in alpha-numeric sequence, cross-referenced to assembly group number.

(2) *Second.* Using the Table of Contents, locate the assembly group number and page number.

(3) *Third.* Using the applicable group number and page number, locate the pertinent stock number or reference number in the Repair Parts Listing. Items which are not illustrated are listed at the end of the assembly group to which they belong.

6. Abbreviations

cl	Coil
cres	corrosion resisting steel
dia	diameter (s)
ea	each
ft	foot (feet)
in.	inch (es)
id	inside diameter (s)
lg	long (length)
No.	number (s)
od	outside diameter (s)
thk	thick (ness)
tu	tube (s)
w	wide (width)
w/	with
yd	yard

7. Federal Suppiy Codes for Manufacturers

Code	*Manufacturer*
00000	Ordnance Corps
13531	Vemco Products Inc
81337	Army Natick Laboratories Mechanical Engineering Div
81349	Military Specifications
88044	Aeronautical Standards Group Dept of Navy and Air Force
96906	Military Standard

8. Recommendations for Maintenance Publication Improvements

Report of errors, omissions, and recommendations for improving this publication by the user is encouraged. Reports should be submitted on DA Form 2028 (Recommended Changes to Publications) and forwarded direct to Commanding General, U. S. Army Mobility Equipment Command, ATTN: AMSME-MPP, 4300 Goodfellow Boulevard, St. Louis, Mo. 63120.

SECTION II. PRESCRIBED LOAD ALLOWANCE

(1) FEDERAL STOCK NUMBER	(2) DESCRIPTION USABLE ON CODE	(3) 15-DAY ORGANIZATIONAL MAINTENANCE ALLOWANCE			
		(a) 1-5	(b) 6-20	(c) 21-50	(d) 51-100
	GROUP 01 - TENT BODY				
8340-935-6341	TENT ROOF, END SECTION TE837-1 (81337)				2
8340-935-6342	TENT, SECTION, END WALL TE832-1 (81337)			2	2
8340-935-6343	TENT, ROOF, INTERMEDIATE SECTION TE838-1 (81337)				2
	GROUP 02 - TENT LINER				
8340-935-6339	LINER, TENT ROOF: END SECTION TE840-1 (81337)				2
8340-935-6340	LINER, TENT: INTERMEDIATE SECTION TE840-2 (81337)				2
	GROUP 03 - FRAME ASSEMBLY AND TENT SUPPORT COMPONENTS				
8340-123-7696	ANCHOR, PLATE TENT: W/HOBNAILS ON BOTTOM SURFACE, LEFT HAND 5-4-1084-12 (81337)				2
8340-123-7699	ANCHOR PLATE TENT: W/HOBNAILS ON BOTTOM SURFACE, RIGHT HAND 5-4-1084-13 (81337)				2
8340-124-8131	SEGMENT, TENT FRAME ARCH: STRAIGHT, RIGHTHAND 5-4-1082-2-11 (81337)				2
8340-124-8132	SEGMENT, TENT FRAME ARCH: STRAIGHT, LEFTHAND 5-4-1082-2-12 (81337)				2
8340-124-8133	SEGMENT ASSEMBLY, STRAIGHT: LEFT OR RIGHTHAND 5-4-1082-4-8 (81337)				2
8340-124-8373	PURLIN, TENT: END ARCH, UPPER 5-4-1090-23 (81337)			2	2
8340-845-4211	PURLIN, TENT: 7 FT. 10 5/8 IN. LG 5-4-1084-8 (81337)		2	4	8
8340-845-4212	PURLIN, TENT: 3 FT. 10 5/8 IN. LG 5-4-1089-7 (81337)		2	2	4
8340-845-5369	ANCHOR PLATE TENT: W/HOBNAILS ON BOTTOM SURFACE 5-4-1082-12-1 (81337)				2
8340-845-5382	FASTENER, TENT PURLIN: END ARCH 5-4-1087-14 (81337)		2	3	5
8340-845-5387	DOOR SPAR ASSEMBLY 5-4-1086-10 (81337)			2	2
8340-853-4024	FASTENER, TENT PURLIN: DOOR POST 5-4-1087-28 (81337)				2
8340-935-1713	SHAFT AND CLEVIS, ADJUSTING: TENT SKN6308 (81337)			2	2
8340-951-0987	SEGMENT, TENT FRAME ARCH: LOWER INTERMEDIATE 5-4-1082-4-1 (81337)			2	2
8340-951-0988	SEGMENT, TENT FRAME ARCH: UPPER INTERMEDIATE 5-4-1082-4-3 (81337)				2
8340-951-0989	SEGMENT, TENT FRAME ARCH: INTERMEDIATE 5-4-1082-4-2 (81337)				2
8340-951-0990	SEGMENT, TENT FRAME ARCH: UPPER END 5-4-1082-2-3 (81337)				2
8340-951-0991	SEGMENT, TENT FRAME ARCH: LOWER END RIGHT 5-4-1082-2-1 (81337)				2
8340-951-0992	SEGMENT, TENT FRAME ARCH: LOWER LEFT HAND 5-4-1082-2-6 (81337)				2

SECTION II. PRESCRIBED LOAD ALLOWANCE

(1) FEDERAL STOCK NUMBER	(2) DESCRIPTION USABLE ON CODE	(3) 15-DAY ORGANIZATIONAL MAINTENANCE ALLOWANCE			
		(a) 1-5	(b) 6-20	(c) 21-50	(d) 51-100
8340-951-0993	SEGMENT, TENT FRAME ARCH: INTERMEDIATE END, RIGHT 5-4-1082-2-2 (81337)				2
8340-951-0994	SEGMENT, TENT FRAME ARCH: INTERMEDIATE END, LEFT HAND 5-4-1082-2-7 (81337)				2
8340-951-1008	PURLIN, TENT: 3 FT 10 5/8 IN. LG, FEMALE ENDS 5-4-1084-32 (81337)		2	2	4
	GROUP 04 - TENT ANCHORING COMPONENTS				
4030-972-2670	ANCHOR: GROUND, 4 IN. ARROWHEAD, W/ANCHORING WIRE 5294-1ANCHOR45-4-795 (81337)	20	50	100	250
8340-823-7451	PIN, TENT, STEEL: 5/8 IN. DIA, 12 IN. LG MILP501 (81349)	2	5	10	20
	GROUP 05 - ELECTRICAL EQUIPMENT				
5340-178-1620	HOOK, HANGER WIRE: CRES 5-4-1088-29-11 (81337)		2	2	2
6240-246-5052	LAMP, INCANDESCENT: LIGHTING AND OUTLET ASSEMBLY, ROUGH SERVICE, 100 WATT, 120 VOLT MS15541-2 (96906)	2	3	5	10
	GROUP 07 - TENT, ACCESSORIES AND SPECIAL TOOLS				
5325-231-6622	GROMMET, METALLIC: SIZE No. 4 MIL-G-16491 (81349)		2	2	2
8340-252-2271	LINE, TENT COVER MIL-L-1709 (81349)			2	2

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REF NUMBER & MFR CODE / USABLE ON CODE	(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 15-DAY ORGANIZATIONAL MAINTENANCE ALW (a) 1-5	(b) 6-20	(c) 21-50	(d) 51-100	(7) ILLUSTRATION (a) FIG. NO.	(b) ITEM NO.
		SECTION III - REPAIR PARTS FOR ORGANIZATIONAL MAINTENANCE								
		GROUP 01 - TENT BODY								
A O		TENT, BODY TE831 (81337)	EA	1					1	1
P O	8340-935-6342	TENT, SECTION, END WALL TE832-1 (81337)	EA	1	*	*	2	2	1	2
P O	8340-935-6341	TENT, ROOF, END, SECTION TE837 (81337)	EA	1	*	*	*	2	1	9
P O	8340-935-6343	TENT, ROOF, INTERMEDIATE SECTION TE838 (81337) (5 SECTIONS REQUIRED FOR 64 FT, SHELTER)	EA	1	*	*	*	2	1	10
P O	8340-123-7799	GUY ASSEMBLY: END AND CENTER ARCH 5-4-1087-22 (81337)	EA	6	*	*	*	*	1	22
		GROUP 02 - TENT LINER								
P O	8340-935-6339	LINER, TENT, ROOF: END SECTION TE840-1 (81337)	EA	2	*	*	*	2	3	1
P O	8340-935-6340	LINER, TENT: INTERMEDIATE SECTION TE840-2 (81337)	EA	5	*	*	*	2	3	2
		GROUP 03 - FRAME ASSEMBLY AND TENT SUPPORT COMPONENTS								
A O		ARCH ASSEMBLY: END SECTION 5-4-1082-2 (81337)	EA	2					4	1
P O	8340-951-0991	SEGMENT, TENT FRAME ARCH: LOWER, RIGHT HAND 5-4-1082-2-1 (81337)	EA	1	*	*	*	2	4	2
P O	8340-123-7699	ANCHOR PLATE, TENT: W/HOBNAILS ON BOTTOM SURFACE, RH 5-4-1084-13 (81337)	EA	1	*	*	*	2	4	3
P O	8340-845-5382	FASTENER, TENT PURLIN: END ARCH 5-4-1087-14 (81337)	EA	19	*	2	3	5	4	5
P O	8340-951-0992	SEGMENT, TENT FRAME ARCH: LOWER, LEFT HAND 5-4-1082-2-6 (81337)	EA	1	*	*	*	2	4	8
P O	8340-123-7696	ANCHOR PLATE, TENT: W/HOBNAILS ON BOTTOM SURFACE, LH 5-4-1084-12 (81337)	EA	1	*	*	*	2	4	9
P O	8340-124-8131	SEGMENT, TENT FRAME ARCH: STRAIGHT, RH 5-4-1082-2-11 (81337)	EA	1	*	*	*	2	4	10
MFO	8340-126-2580	EYE BOLT AND CHAIN ASSEMBLY 5-4-1087-15 (81337) MANUFACTURE FROM: BOLT, EYE, SHOULDERED, THREADED, 1 REQUIRED, FSN 5306-970-1224 WIRE, CRESCENT, AS REQUIRED, FSN 9505-288-6381 CHAIN, TWIST LINK, No. 5, MACHINED, 16 LINKS, AS REQUIRED, FSN 4010-221-0738 SCREW, DRIVE, ROUNDHEAD, No.12, 5/8 IN. LG, AS REQUIRED FSN 5305-175-5167	EA	6					4	12

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REF NUMBER & MFR CODE	USABLE ON CODE	(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 15-DAY ORGANIZATIONAL MAINTENANCE ALW (a) 1-5	(b) 6-20	(c) 21-50	(d) 51-100	(7) ILLUSTRATION (a) FIG. NO.	(b) ITEM NO.
P O	8340-124-8132	SEGMENT, TENT FRAME ARCH: STRAIGHT LH 5-4-1082-2-12 (81337)		EA	1	*	*	*	2	4	13
O	5305-983-6640	SCREW, CAP, SOCKET HEAD, HEXAGON SOCKET: 7/16-14 UNC, 3 IN. LG MS16997-129 (96906)		EA	6					4	14
P O	8340-951-0993	SEGMENT, TENT FRAME ARCH: INTERMEDIATE RH 5-4-1082-2-2 (81337)		EA	1	*	*	*	2	4	15
A O	8340-127-3210	BRACKET ASSEMBLY: RH 5-4-1086-19 (81337)		EA	1					4	16
A O	8340-124-8212	BRACKET ASSEMBLY: LH 5-4-1086-18 (81337)		EA	1					4	16
P O	8340-951-1004	BRACKET, TENT DOOR POST: LEFT HAND 5-4-1086-18-1 (81337)		EA	1	*	*	*	*	4	17
P O	8340-951-1005	BRACKET, TENT DOOR POST: RIGHT HAND 5-4-1086-19-1 (81337)		EA	1	*	*	*	*	4	17
P O	8340-951-1006	SOCKET, TENT DOOR POST: RIGHT HAND 5-4-1086-19-2 (81337)		EA	1	*	*	*	*	4	18
P O	8340-951-1007	SOCKET, TENT DOOR POST: LH 5-4-1086-18-2 (81337)		EA	1	*	*	*	*	4	18
O	5306-012-6551	BOLT, SQUARE NECK: 5/8-11 UNC-2A X 2 IN. LG 126551 (00000)		EA	2					4	19
O	5310-050-3285	NUT, SELF-LOCKING, HEXAGON: 5/8-11 UNC-3B 503289 (00000)		EA	2					4	20
O	5305-988-1731	SCREW, PAN HEAD: 1/4-20 UNC-2A, 2 3/4 IN. LG MS35206-290 (96906)		EA	6					4	21
O	5310-823-8803	WASHER, PLAIN: 21/32 IN. ID X 1 5/16 IN. OD MS27183-21 (96906)		EA	2					4	22
O	5310-582-5965	WASHER, LOCK: 1/4 IN. MS35338-44 (96906)		EA	6					4	23
O	5310-176-8164	NUT, PLAIN, HEXAGON: 1/4-20 UNC-2B AN335-4 (88044)		EA	6					4	24
O	5310-809-4058	WASHER, PLAIN: 9/32 IN. ID X 5/8 IN. OD MS27183-10 (96906)		EA	12					4	25
O	5310-050-3267	NUT, SELF-LOCKING, HEXAGON: 1/4-20 UNC-3B 503267 (00000)		EA	6					4	26
MFO	8340-126-2582	EYE PIN AND CHAIN ASSEMBLY 5-4-1087-17 (81337) MANUFACTURE FROM: BOLT, EYE, SHOULDERED, 7/16 IN. DIA, 3 IN. LG SHANK, AS REQUIRED, FSN 5306-970-1223 WIRE, CRESCENT, AS REQUIRED, FSN 9505-288-6381 CHAIN, TWIST LINK, AS REQUIRED, FSN 4010-221-0738		EA	2					4	27

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REF NUMBER & MFR CODE / USABLE ON CODE	(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 15-DAY ORGANIZATIONAL MAINTENANCE ALW (a) 1-5	(b) 6-20	(c) 21-50	(d) 51-100	(7) ILLUSTRATION (a) FIG. NO.	(b) ITEM NO.
MFO	8340-126-2581	EYE NUT AND CHAIN ASSEMBLY 5-4-1087-16 (81337) MANUFACTURE FROM: BOLT, EYE, SHOULDERED, 7/16-14 UNC-2A, 3/16 IN. SHANK, 1 REQUIRED, FSN 5310-970-1228 WIRE, CRESCENT, AS REQUIRED, FSN 9505-288-6381 CHAIN, TWIST LINK, AS REQUIRED, FSN 4010-221-0738	EA	4					4	28
P O	8340-951-0994	SEGMENT, TENT FRAME ARCH: INTERMEDIATE, LH 5-4-1082-2-7 (81337)	EA	1	*	*	*	2	4	29
P O	8340-951-0990	SEGMENT, TENT FRAME ARCH: UPPER 5-4-1082-2-3 (81337)	EA	1	*	*	*	2	4	30
A O		ARCH, TENT FRAME: INTERMEDIATE SECTION 5-4-1082-4 (81337) (FOR MOUNTING HARDWARE, SEE FIG 4)	EA	8					5	1
P O	8340-951-0987	SEGMENT, TENT FRAME ARCH: LOWER, LEFT OR RH 5-4-1082-4-1 (81337)	EA	2	*	*	2	2	5	2
P O	8340-845-5369	ANCHOR PLATE, TENT: W/HOOKNAILS ON BOTTOM SURFACE 5-4-1082-12-1 (81337)	EA	2	*	*	*	2	5	3
P O	8340-124-8133	SEGMENT ASSEMBLY, STRAIGHT: LEFT OR RH 5-4-1082-4-8 (81337)	EA	2	*	*	*	2	5	4
P O	8340-951-0989	SEGMENT, TENT FRAME ARCH: INTERMEDIATE LEFT OR RH 5-4-1082-4-2 (81337)	EA	2	*	*	*	2	5	6
P O	8340-951-0988	SEGMENT, TENT FRAME ARCH: UPPER 5-4-1082-4-3 (81337)	EA	1	*	*	*	2	5	7
P O	8340-127-3212	PURLIN, TENT: END ARCH, LOWER, 6 FT 5 3/4 IN. LG 5-4-1084-11 (81337)	EA	2	*	*	*	*	6	1
P O	8340-935-1713	SHAFT AND CLEVIS, ADJUSTING, TENT SKN6308 (81337)	EA	2	*	*	2	2	6	4
MFO		PIN, TOGGLE ASSEMBLY 5-4-1084-11 (81337) MANUFACTURE FROM: PIN, TOGGLE, 3/8 IN. DIA, 1 IN. LG, 1 REQUIRED, FSN 5315-970-1233 CHAIN, TWIST, LINK, No. 5, AS REQUIRED, FSN 4010-221-0738 WIRE, CRESCENT, AS REQUIRED, FSN 9505-288-6381	EA	4					6	5
P O	8340-124-8373	PURLIN, TENT: END ARCH, UPPER 5-4-1090-23 (81337)	EA	2	*	*	2	2	6	6
P O	8340-845-4212	PURLIN, TENT: 3 FT 10 5/8 IN. LG, FEMALE AND MALE ENDS 5-4-1084-7 (81337)	EA	19	*	2	2	4	6	8
P O	8340-951-1008	PURLIN, TENT: 3 FT 10 5/8 IN. LG, FEMALE ENDS 5-4-1084-32 (81337)	EA	19	*	2	2	4	6	11
P O	8340-845-4211	PURLIN, TENT: 7 FT 10 5/8 IN. LG, FEMALE AND MALE ENDS 5-4-1084-8 (81337)	EA	19	*	2	4	8	6	12

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REF NUMBER & MFR CODE	USABLE ON CODE	(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 15-DAY ORGANIZATIONAL MAINTENANCE ALW (a) 1-5	(b) 6-20	(c) 21-50	(d) 51-100	(7) ILLUSTRATION (a) FIG. NO.	(b) ITEM NO.
AFO	8340-126-2589	DOOR POST ASSEMBLY: RH 5-4-1083-5-1 (81337)		EA	1					7	1
AFO	8340-126-2588	DOOR POST ASSEMBLY: LH 5-4-1083-6-1 (81337)		EA	1					7	1
P O	8340-454-9066	POST ASSEMBLY: RH 5-4-1083-5-37 (81337)		EA	1	*	*	*	*	7	2
P O	8340-454-9065	POST ASSEMBLY: LH 5-4-1083-6-31 (81337)		EA	1	*	*	*	*	7	2
P O	8340-853-4024	FASTENER, TENT PURLIN: DOOR POST 5-4-1087-28 (81337)		EA	2	*	*	*	2	7	3
P O	8340-845-5369	ANCHOR PLATE, TENT: W/HOBNAILS ON BOTTOM SURFACE 5-4-1084-12-1 (81337)		EA	2	REF	REF	REF	REF	7	4
P O	8340-845-4209	DOOR POST SEGMENT TENT: RIGHT HAND 5-4-1083-5-2 (81337)		EA	1	*	*	*	*	7	5
P O	8340-845-4208	DOOR POST SEGMENT, TENT: LEFT HAND 5-4-1083-6-2 (81337)		EA	1	*	*	*	*	7	5
0	5310-050-3289	NUT, SELF-LOCKING, HEXAGON: 5/8-11 UNC-3B 503289 (00000)		EA	2					7	6
0	5310-809-8519	WASHER, PLAIN: 5/8 IN. ID X 1 3/4 IN. OD MS27183-22 (96906)		EA	2					7	7
P O	8340-951-0981	ARM, TENT DOOR CONTROL: RIGHT HAND, 6 FT LG 5-4-1083-5-5 (81337)		EA	1	*	*	*	*	7	8
P O	8340-050-8746	ARM, TENT DOOR CONTROL: LEFT HAND, 6 FT LG 5-4-1083-6-5 (81337)		EA	1	*	*	*	*	7	8
MFO	8340-132-1109	PIN, TOGGLE ASSEMBLY 5-4-1083-5-31 (81337) MANUFACTURE FROM: PIN, TOGGLE, 1/2 IN. DIA, 7/8 IN. LG, 1 REQUIRED, FSN 5315-221-6348 WIRE, CRESCENT, AS REQUIRED, FSN 9505-288-6381 CHAIN, TWIST LINK, No. 5, AS REQUIRED, FSN 4010-221-0738		EA	4					7	9
P O	8340-845-5384	BRACE, TENT DOOR CONTROL ARM: LEFT OR RH 5-4-1083-5-3 (81337)		EA	2	*	*	*	*	7	10
MFO		ROPE: 3/4 IN. DIA 5-4-1083-5-34 (81337) MANUFACTURE FROM: ROPE, POLYESTER FIBER, 34 FT REQUIRED FOR EACH ARM CONTROL, FSN 4020-719-4609		EA	2					7	11
X20		ROD, BOLT: CHAIN CONTROL 5-4-1083-5-18 (81337)		EA	2					7	13
X20		RETAINER, ROD 5-4-1083-5-15 (81337)		EA	2					7	14
0	5305-043-6728	SCREW, MACHINE, FLATHEAD: 10-24 UNC-2A, 1/4 IN. LG MS35225-59 (96906)		EA	2					7	15
0	5310-527-3288	WASHER, LOCK, INTERNAL TOOTH: 3/16 IN. ID X 3/8 IN. OD MS35333-22 (96906)		EA	2					7	16

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REF NUMBER & MFR CODE / USABLE ON CODE	(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 15-DAY ORGANIZATIONAL MAINTENANCE ALW (a) 1-5	(b) 6-20	(c) 21-50	(d) 51-100	(7) ILLUSTRATION (a) FIG. NO.	(b) ITEM NO.
MFO		LINE: 3/4 IN. DIA 5-4-1083-5-12 (81337) MANUFACTURE FROM: ROPE, POLYESTER FIBER, 8 FT 6 IN. REQUIRED, FSN 4020-719-4609	EA	2					7	17
0	5310-595-7421	NUT, SELF-LOCKING, HEXAGON: 1/2-13 UNC-3B AN365-813 (88044)	EA	2					7	18
0	5305-983-7466	SCREW, CAP, SOCKET HEAD: 1/2-13 UNC-2A, 2 3/4 IN. LG MS16997-148 (96906)	EA	2					7	19
0	5310-044-6230	WASHER, FLAT: 9/16 IN. ID A46230 (00000)	EA	2					7	20
P 0	8340-845-4205	LOCK, TENT DOOR CONTROL ARM: LEFT OR RH 5-4-1083-5-8 (81337)	EA	2	*	*	*	*	7	21
P 0	8340-845-5387	DOOR SPAR ASSEMBLY 5-4-1086-10 (81337)	EA	7	*	*	2	2	8	1
A 0		DOOR, WINCH AND TRANSOM CHORD ASSEMBLY 5-4-1085-1 (81337)	EA	2					9	1
P 0	8340-951-0997	STRUT, TENT TRANSOM: 30 1/4 IN. LONG 5-4-1085-9-9 (81337)	EA	2	*	*	*	*	9	2
0	5305-269-3218	SCREW, CAP, HEXAGON HEAD: STRUT TRANSOM, 3/8-16 UNC-2AX, 2 1/2 IN. LG MS90725-68 (96906)	EA	2					9	3
0	5310-957-7128	NUT, SELF-LOCKING, HEXAGON: 3/8-16 UNC-3B MS17829-6 (96906)	EA	2					9	4
MFO		CABLE AND TOGGLE PIN ASSEMBLY 5-4-1085-21 (81337) MANUFACTURE FROM: PIN, TOGGLE, 1 REQUIRED, FSN 8340-951-0996 WIRE, ROPE, AS REQUIRED, FSN 4010-222-4490	EA	2					10	21
		GROUP 04 - TENT ANCHORING COMPONENTS								
P 0	4030-972-2670	ANCHOR, GROUND: 4 IN. ARROWHEAD, W/ANCHORING WIRE S244-1ANCHOR45-4-795 (81337) (COMPONENT OF KIT, FSN 8340-951-6423)	EA	50	20	50	100	250	11	1
P 0	5120-970-6412	ROD, DRIVING: STEEL S294-1ROD5-4-495 (81337) (COMPONENT OF KIT, FSN 8340-951-6423)	EA	2	*	*	*	*	11	2
P 0	5120-970-6413	HANDLE, WOOD: DRIVING ROD S294-1HANDLE5-9-495 (81337) (COMPONENT OF KIT, FSN 8340-951-6423)	EA	2	*	*	*	*	11	3
P 0	5120-051-8641	HEAD, DRIVING: STEEL 4-1-190 (81337) (COMPONENT OF KIT, FSN 8340-951-6423)	EA	2	*	*	*	*	11	4
P 0	8340-823-7451	PIN, TENT, STEEL: 5/8 IN. DIA, 12 IN. LG MILP501 (81349)	EA	48	2	5	10	20	11	5

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REF NUMBER & MFR CODE / USABLE ON CODE	(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 15-DAY ORGANIZATIONAL MAINTENANCE ALW (a) 1-5	(b) 6-20	(c) 21-50	(d) 51-100	(7) ILLUSTRATION (a) FIG. NO.	(b) ITEM NO.
		GROUP 05 - ELECTRICAL EQUIPMENT								
A O		CIRCUIT BREAKER ASSEMBLY, WIRING HARNESS 5-4-1088-29 (81337)	EA	1					12	1
P O	5930-970-1230	SWITCH: WIRING HARNESS CIRCUIT BREAKER, WITH BOX 5-4-1088-29-1 (81337)	EA	1	*	*	*	*	12	2
O	5310-011-2432	NUT, HEXAGON: BRASS, No. 10-32 UNF-2B 112432 (00000)	EA	2					12	3
O	5310-616-6353	WASHER, FLAT: BRASS, No. 10 MS15795-6081 (96906)	EA	2					12	4
P O	5940-310-2584	TERMINAL, LUG: SOLDERLESS, No. 10 SCREW SIZE 5-4-1088-29-6 (81337)	EA	9	*	*	*	*	12	5
O	5310-012-0385	WASHER, PLAIN: STEEL, 1/4 IN. 120385 (00000)	EA	1					12	6
O	5305-053-1086	SCREW, MACHINE: FLATHEAD, BRASS, No. 10, 32 UNF-2A, 7/8 IN. LG MS35199-58 (96906)	EA	1					12	7
P O	5935-970-1231	CONNECTOR, ELECTRICAL: 2 SCREW 5-4-1088-29-5 (81337)	EA	1	*	*	*	*	12	8
O	5305-781-2074	SCREW, MACHINE: 1/4-28 UNF-2A, 5/16 IN. LG MS35191-286 (96906)	EA	2					12	9
MFO		CORD, ELECTRICAL: LEAD, 6 FT LG 5-4-1088-29-7 (81337) MANUFACTURE FROM: CORD ASSEMBLY, 3 CONDUCTOR, No. 14 AWG, 6 FT REQUIRED, FSN 6150-179-8313	EA	1					12	11
MFO		CORD, ELECTRICAL: LEAD, 16 FT LG 5-4-1088-29-9 (81337) MANUFACTURE FROM: CORD ASSEMBLY, 3 CONDUCTOR, No. 14 AWG, 16 FT REQUIRED, FSN 6150-179-8313	EA	1					12	12
P O	5340-178-1620	HOOK, HANGAR, WIRE: CRESCENT 5-4-1088-29-11 (81337)	EA	37	*	2	2	2	12	14
P O	6230-970-1227	LIGHTING SET, GENERAL ILLUMINATION 5-4-1088-29-17 (81337)	EA	8	*	*	*	*	12	15
P O	6210-970-1232	GUARD, LAMP: LIGHTING AND OUTLET ASSEMBLY, 1 1/2 IN. COLLAR 5-4-1088-29-28 (81337)	EA	16	*	*	*	*	12	16
P O	6240-246-5052	LAMP, INCANDESCENT: LIGHTING AND OUTLET ASSEMBLY, ROUGH SERVICE 100w, 120v MS15541-2 (96906)	EA	16	2	3	5	10	12	17
		GROUP 06 - KITS AND SETS								
P O	8340-951-6423	KIT, GROUND ANCHOR, WITH AUXILIARY EQUIPMENT 5-4-795 (81337) (CONSISTING OF)	EA	1	*	*	*	*		
		50-ANCHOR, GROUND, 4 IN. ARROWHEAD, W/ANCHORING WIRE, FSN 4030-972-2670							11	1
		2-ROD, STEEL, DRIVING, FSN 5120-970-6412							11	2
		2-HANDLE, WOOD, DRIVING ROD HOLDER, FSN 5120-970-6413							11	3
		2-HEAD, DRIVING, FOR 4 IN. GROUND ANCHOR, FSN 5120-051-8641							11	4

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REF NUMBER & MFR CODE	USABLE ON CODE	(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 15-DAY ORGANIZATIONAL MAINTENANCE ALW (a) 1-5	(b) 6-20	(c) 21-50	(d) 51-100	(7) ILLUSTRATION (a) FIG. NO.	(b) ITEM NO.
		SECTION IV - SPECIAL TOOLS, TEST AND SUPPORT EQUIPMENT FOR ORGANIZATIONAL MAINTENANCE GROUP 07 - TENT ACCESSORIES AND SPECIAL TOOLS									
P 0	8340-262-2397	COVER, TENT AND LINER SECTIONS 5-4-369 (81337)		EA	5	*	*	*	*	13	1
P 0	8340-252-2271	LINE, TENT, COVER MILL1709 (81349)		EA	10	*	*	2	2	13	2
P 0	5325-231-6622	GROMMET, METALLIC: SIZE NO. 4 MILG16491 (81349)		EA	20	*	2	2	2	13	3
P 0	8340-124-8214	ARCH, SPACER ASSEMBLY 5-4-1087-30 (81337)		EA	1	*	*	*	*	13	4
P 0	5120-970-1222	WRENCH, OPEN END, FIXED: THIN DOUBLE HEAD TYPE, 1 39/64 IN. AND 2 11/16 IN., 12 IN. LG 5-4-1084-31 (81337)		EA	2	*	*	*	*	13	5
X20	5440-420-4913	LADDER ASSEMBLY 5-4-1090-33 (81337)		EA	1					13	6

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REF NUMBER & MFR CODE / USABLE ON CODE	(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 30-DAY DS MAINT ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(7) 30-DAY GS MAINT ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(8) 1-YR ALW PER 100 EQUIP CNTGY	(9) ILLUSTRATION (a) FIG. NO.	(b) ITEM NO.
		SECTION V - REPAIR PARTS FOR DS AND GS MAINTENANCE GROUP 01 - TENT BODY											
A O		TENT, BODY TE831 (81337)	EA	1								1	1
P O	8340-935-6342	TENT, SECTION, END WALL TE832-1 (81337)	EA	1	2	2	3	2	2	3	30	1	2
M F		DOOR, PERSONNEL TE834 (81337) MANUFACTURE FROM: FASTENER, SLIDE, SIZE H, 12 FT REQUIRED, FSN 5325-144-6624	EA	1								1	3
M F		FLAP, ASSEMBLY MANUFACTURE FROM: CLOTH, COTTON, DUCK AS REQUIRED, FSN 8305-170-3913 FASTENER, TAPE, HOOK AND PILE, 1 IN. W, AS REQUIRED, FSN 8315-985-7450 TAPE, TIE, COTTON, 3/4 IN. X 18 IN. LG, AS REQUIRED, FSN 8315-253-6289											
M F		HEATER DUCT, SLEEVE TE834-3 (81337) MANUFACTURE FROM: CLOTH, COTTON, DUCK, AS REQUIRED FSN 8305-170-3913, TAPE, TEXTILE, COTTON, 3/4 IN. W, 60 IN. LG FSN 8315-253-6289	EA	2								1	4
M F		VENTILATOR, HOOD TE835-5 (81337) MANUFACTURE FROM: CLOTH, COTTON, DUCK, AS REQUIRED, FSN 8305-170-3913	EA	1								1	5
X2F		SPRING ASSEMBLY IPDESS35-7 (81337)	EA	1								1	6
M F		VENTILATOR, FLAP TE835-1 (81337) MANUFACTURE FROM: CLOTH, COTTON, DUCK, AS REQUIRED, FSN 8305-170-3913 CHAPE ASSEMBLY, RING DEE, 3/4 IN. X 5/8 IN., 4 REQUIRED, FSN 5340-260-1412 TAPE, TEXTILE, COTTON, 3/4 IN. W X 4 IN. LG, AS REQUIRED, FSN 8315-253-6289 TIE, TAPE, 3/4 IN. W X 10 IN. LG, 2 REQUIRED, FSN 8315-253-6289 TIE, TAPE, 3/4 IN. W X 18 IN. LG, 2 REQUIRED, FSN 8315-253-6289	EA	1								1	7

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REF NUMBER & MFR CODE	USABLE ON CODE	(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 30-DAY DS MAINT ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(7) 30-DAY GS MAINT ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(8) 1-YR ALW PER 100 EQUIP CNTGY	(9) ILLUSTRATION (a) FIG. NO.	(b) ITEM NO.
M F		VENTILATOR, SCREEN TE835-7 (81337) MANUFACTURE FROM: SCREEN, NON-METALLIC, INSECT, SIZE 18 x 18, AS REQUIRED, FSN 8305-926-1613		EA	1								1	8
P O	8340-935-6341	TENT, ROOF, END, SECTION TE837 (81337)		EA	1	*	2	2	*	2	2	12	1	9
P O	8340-935-6343	TENT, ROOF, INTERMEDIATE SECTION TE838 (81337) (5 SECTIONS REQUIRED FOR 6½ FT, SHELTER)		EA	1	*	2	2	*	2	2	15	1	10
M F		VENTILATOR, FLAP TE838-3 (81337) MANUFACTURE FROM: CLOTH, COTTON, DUCK, AS REQUIRED, FSN 8305-170-3913 GROMMET, SIZE 0, 4 REQUIRED, FSN 5325-641-1278 SCREEN, NON-METALLIC, INSECT, SIZE 18 x 18, AS REQUIRED, FSN 8305-926-1613		EA	2								1	11
M F		TAB ASSEMBLY: VENTILATOR TE838-4 (81337) MANUFACTURE FROM: TAPE, TEXTILE, COTTON, 1 IN. W, AS REQUIRED, FSN 8315-253-6290 GROMMET, SIZE 0, 1 REQUIRED, FSN 5325-641-1278 LINE, CORD, 1/8 IN. DIA, X 40 FT LG, FSN 4020-233-6555		EA	8								1	12
M F		CHAPE ASSEMBLY TE839-1 (81337) MANUFACTURE FROM: LOOP, RECTANGULAR, 1 IN., 1 REQUIRED, FSN 5340-663-9356 TAPE, TEXTILE, COTTON, 1 IN. W x 4 IN. LG, FSN 8315-253-6290, 12 REQUIRED PER END SECTION, 8 REQUIRED PER INTERMEDIATE SECTION		EA	6½								1	13
M F		FLAP, BECKET, GROMMET, END TE839-2 (81337) MANUFACTURE FROM: CLOTH, COTTON, DUCK, AS REQUIRED, FSN 8305-170-3913 GROMMET, SIZE 0, 2½ REQUIRED, FSN 5325-641-1278		EA	2								1	14
M F		FLAP, BECKET, LOOP END TE839-3 (81337) MANUFACTURE FROM: CLOTH, COTTON, DUCK, AS REQUIRED, FSN 8305-170-3913 GROMMET, SIZE 0, 2½ REQUIRED, FSN 5325-641-1278 LACING, ROPE, POLYESTER, 1/4 IN. DIA, AS REQUIRED, FSN 4020-536-3746		EA	2								1	15

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REF NUMBER & MFR CODE / USABLE ON CODE	(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 30-DAY DS MAINT ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(7) 30-DAY GS MAINT ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(8) 1-YR ALW PER 100 EQUIP CNTGY	(9) ILLUSTRATION (a) FIG. NO.	(b) ITEM NO.
M F		HOOK, END ARCH ASSEMBLY TE833-7 (81337) MANUFACTURE FROM: HOOK, STAINLESS STEEL, 1 REQUIRED, FSN 5340-813-5360 RIVET, SOLID, 2 REQUIRED, FSN 5320-572-3575 RETAINER, LEATHER, 3 IN. X 3/4 IN. LG, 1 REQUIRED, FSN 8330-951-9360	EA	1								1	16
M F		SLEEVE, GUY, LINE TE838-2 (81337) MANUFACTURE FROM: CLOTH, COTTON, DUCK, AS REQUIRED, FSN 8305-170-3913 WEBBING, TEXTILE, COTTON, 1 IN. W, AS REQUIRED, FSN 8305-260-2544, 6 REQUIRED PER END SECTION, 4 REQUIRED PER INTERMEDIATE SECTION	EA	10								1	17
M F		HOOK, DOOR LACING TE832-3 (81337) MANUFACTURE FROM: HOOK J, STAINLESS STEEL, FSN 5340-813-5361, 1 REQUIRED LEATHER, COWHIDE, 3 IN. X 4 IN. REQUIRED, FSN 8330-951-7360	EA	52								1	18
M F		LINE, LACING: 28 FT LG IPDES535-7 (81337) MANUFACTURE FROM: ROPE, POLYESTER, 1/4 IN. DIA, FSN 4020-536-3476	CL	2								1	19
M F		LINE GUY TE831 (81337) MANUFACTURE FROM: ROPE, MANILA, 3/8 IN. DIA, FSN 4020-231-2581	CL	2								1	20
M F		TRANSVERSE, LINE TE837-7 (81337) MANUFACTURE FROM: ROPE, POLYESTER, 1/4 IN., AS REQUIRED, FSN 4020-536-3476	CL	2								1	21
P O	8340-123-7799	GUY ASSEMBLY: END AND CENTER ARCH 5-4-1087-22 (81337)	EA	6	*	*	*	*	*	*	5	1	22
A F		DOOR, VEHICLE TE832-2 (81337)	EA	1								2	1
M F		CHAPE: HOISTING CABLE TE833 (81337) MANUFACTURE FROM: RING, DEE, 1 IN. X 3/4 IN., 1 REQUIRED, FSN 5340-260-1414 TAPE, TEXTILE, COTTON, 1 IN. W, AS REQUIRED, FSN 8315-253-6290	EA	12								2	2

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REF NUMBER & MFR CODE USABLE ON CODE	(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 30-DAY DS MAINT ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(7) 30-DAY GS MAINT ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(8) 1-YR ALW PER 100 EQUIP CNTGY	(9) ILLUSTRATION (a) FIG. NO.	(b) ITEM NO.
M F		STRAP, SECURING: B TE833-5 (81337) MANUFACTURE FROM: TAPE, TEXTILE, 3/4 IN. W, X 14 1/2 IN. LG, FSN 8315-253-6289 SNAP, HOOK, 5/8 IN., FSN 5340-290-0818	EA	6								2	3
M F		SPAR, POCKET, LOWER TE833-2 (81337) MANUFACTURE FROM: CLOTH, COTTON, DUCK, AS REQUIRED, FSN 8305-170-3913	EA	6								2	4
M F		CHAPE ASSEMBLY TE833-3 (81337) MANUFACTURE FROM: RING, DEE, 3/4 IN. X 5/8 IN., 1 REQUIRED, FSN 5340-260-1412 TAPE, TEXTILE, 3/4 IN. W, 3 IN. LG, FSN 8315-253-6289	EA	6								2	5
M F		SPAR, POCKET, UPPER TE833-4 (81337) MANUFACTURE FROM: CLOTH, COTTON, DUCK, AS REQUIRED, FSN 8305-170-3913	EA	1								2	6
P F	5325-286-9554	FASTENER, SNAP TE833-5 (81337)	EA	19	4	8	17	4	8	17	200	2	7
M F		STRAP, SECURING: A TE833-6 (81337) MANUFACTURE FROM: WEBBING, TEXTILE, COTTON, 1 IN. W X 17 IN. LG, 6 REQUIRED, FSN 8315-260-2544 LOOP, RETANGULAR, 1 IN., AS REQUIRED, FSN 5340-663-9356 FASTENER, TAPE, HOOK AND PILE, 1 IN. W, AS REQUIRED, FSN 8315-985-7450	EA	6								2	8
M F		PURLIN, FLAP: BOTTOM AND SIDE, LOWER, LG TE837-2 (81337) MANUFACTURE FROM: CLOTH, COTTON, DUCK, AS REQUIRED, FSN 8305-170-3913 GROMMET, SIZE 4, 48 REQUIRED, FSN 5325-231-6622 HOOK, EYE, STAINLESS STEEL, 48 REQUIRED, FSN 4030-869-1520 LACING, ROPE, POLYESTER, 1/4 IN. DIA, AS REQUIRED, FSN 4020-536-3746	EA	4								2	9
M F		PURLIN, FLAP: UPPER, END ARCH TE836-3 (81337) MANUFACTURE FROM: CLOTH, COTTON, DUCK, AS REQUIRED, FSN 8305-170-3913 FASTENER, TAPE, HOOK, 2 IN. W, AS REQUIRED, FSN 8315-926-4931	EA	2								2	10

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REF NUMBER & MFR CODE	USABLE ON CODE	(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 30-DAY DS MAINT ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(7) 30-DAY GS MAINT ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(8) 1-YR ALW PER 100 EQUIP CNTGY	(9) ILLUSTRATION (a) FIG. NO.	(b) ITEM NO.
		FASTENER, TAPE, PILE, 2 IN. W, AS REQUIRED, FSN 8315-926-4930												
M F		PURLIN, FLAP: BOTTOM, END ARCH TE834-5 (81337) MANUFACTURE FROM:		EA	4								2	11
		CLOTH, COTTON, DUCK, AS REQUIRED, FSN 8305-170-3913												
		FASTENER, TAPE, HOOK, 2 IN. W, AS REQUIRED, FSN 8315-926-4931												
		FASTENER, TAPE, PILE, 2 IN. W, AS REQUIRED, FSN 8315-926-4930												
		GROMMET, SIZE 4, 24 REQUIRED, FSN 5325-231-6622												
		HOOK, EYE, STAINLESS STEEL, 12 REQUIRED, FSN 4030-369-1520												
		ROPE, LACING, POLYESTER, AS REQUIRED, FSN 4020-536-3476												
P F	8310-988-1301	THREAD, POLYESTER: SIZE FF IPDESS34-7 (81337) (AS REQUIRED)		TU	V	*	*	*	*	*	*	5		
P F	8310-988-1299	THREAD, POLYESTER: SIZE F IPDESS35-7 (81337) (AS REQUIRED)		TU	V	*	*	*	*	*	*	5		
		GROUP 02 - TENT LINER												
P O	8340-935-6339	LINER, TENT, ROOF: END SECTION TE840-1 (81337)		EA	2	*	2	2	*	2	2	15	3	1
P O	8340-935-6340	LINER, TENT: INTERMEDIATE SECTION TE840-2 (81337)		EA	5	*	2	2	*	2	2	15	3	2
M F		ARCH, STRAP ASSEMBLY TE840-3 (81337) MANUFACTURE FROM:		EA	36								3	3
		FASTENER, TAPE, HOOK AND PILE, 1 IN. W, AS REQUIRED, FSN 8315-985-7450												
		LOOP, RECTANGULAR, 1 IN., 1 REQUIRED, FSN 5340-663-9356												
		TAPE, TEXTILE, COTTON, 1 IN. W X 18 1/2 IN. LG, AS REQUIRED, FSN 8315-253-6290												
		TAPE, REINFORCEMENT, TEXTILE, COTTON, 1 IN. W, FSN 8315-253-6290												
M F		SCREEN, SIDE WALL TE840-4 (81337) MANUFACTURE FROM:		EA	2								3	4
		SCREEN, NON-METALLIC, SIZE 18 x 18, FSN 8305-926-1613												
		TAPE, TEXTILE, COTTON, 1 IN. W, AS REQUIRED, FSN 8315-253-6290												
		EDGING, CLOTH, COTTON, OXFORD, AS REQUIRED, FSN 8305-262-7309												

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REF NUMBER & MFR CODE	USABLE ON CODE	(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 30-DAY DS MAINT ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(7) 30-DAY GS MAINT ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(8) 1-YR ALW PER 100 EQUIP CNTGY	(9) ILLUSTRATION (a) FIG. NO.	(b) ITEM NO.
M F		TIE, TAPE, PURLIN TE840-5 (81337) MANUFACTURE FROM: TAPE, TEXTILE, COTTON, 3/4 IN. W x 24 IN. LG, AS REQUIRED, FSN 8315-253-6289 TAPE, REINFORCEMENT, TEXTILE, COTTON, 1 IN. W, AS REQUIRED, FSN 8315-253-6290, 50 REQUIRED PER END SECTION, 44 REQUIRED PER INTERMEDIATE SECTION		EA	94								3	5
		GROUP 03 - FRAME ASSEMBLY AND TENT SUPPORT COMPONENTS												
A 0		ARCH ASSEMBLY: END SECTION 5-4-1082-2 (81337)		EA	2								4	1
P 0	8340-951-0991	SEGMENT, TENT FRAME ARCH: LOWER, RIGHT HAND 5-4-1082-2-1 (81337)		EA	1	*	2	2	*	2	2	12	4	2
P 0	8340-123-7699	ANCHOR PLATE, TENT: W/HOBNAILS ON BOTTOM SURFACE, RH 5-4-1084-13 (81337)		EA	1	*	2	2	*	2	2	12	4	3
F	5315-844-5830	PIN, SPRING: 5/16 IN. DIA, 1 1/2 IN. LG MS16562-72 (96906)		EA	30								4	4
P 0	8340-845-5382	FASTENER, TENT PURLIN: END ARCH 5-4-1087-14 (81337)		EA	19	3	5	11	3	5	11	130	4	5
F	5315-821-2437	PIN, SPRING: 3/16 IN. DIA BY 2 IN. LG MS9048-178 (96906)		EA	27								4	6
F	5315-616-4261	PIN, SPRING: 3/32 IN. DIA BY 3/4 IN. LG MS16562-28 (96906)		EA	21								4	7
P 0	8340-951-0992	SEGMENT, TENT FRAME ARCH: LOWER, LEFT HAND 5-4-1082-2-6 (81337)		EA	1	*	2	2	*	2	2	12	4	8
P 0	8340-123-7696	ANCHOR PLATE, TENT: W/HOBNAILS ON BOTTOM SURFACE, LH 5-4-1084-12 (81337)		EA	1	*	2	2	*	2	2	12	4	9
P 0	8340-124-8131	SEGMENT, TENT FRAME ARCH: STRAIGHT, RH 5-4-1082-2-11 (81337)		EA	1	*	2	2	*	2	2	12	4	10
P F	8340-951-0985	JOINT, TENT ARCH SEGMENT: W/THREADED INSERT, SLOTTED 5-4-1082-25 (81337)		EA	6	2	2	3	2	2	3	40	4	11
MF0	8340-126-2580	EYE BOLT AND CHAIN ASSEMBLY 5-4-1087-15 (81337) MANUFACTURE FROM: BOLT, EYE, SHOULDERED, THREADED, 1 REQUIRED, FSN 5306-970-1224 WIRE, CRESCENT, AS REQUIRED, FSN 9505-288-6381 CHAIN, TWIST LINK, No. 5, MACHINED, 16 LINKS, AS REQUIRED, FSN 4010-221-0738 SCREW, DRIVE, ROUNDHEAD, No.12, 5/8 IN. LG, AS REQUIRED, FSN 5305-175-5167		EA	6								4	12

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REF NUMBER & MFR CODE	USABLE ON CODE	(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 30-DAY DS MAINT ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(7) 30-DAY GS MAINT ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(8) 1-YR ALW PER 100 EQUIP CNTGY	(9) ILLUSTRATION (a) FIG. NO.	(b) ITEM NO.
P O	8340-124-8132	SEGMENT, TENT FRAME ARCH: STRAIGHT LH 5-4-1082-2-12 (81337)		EA	1	*	2	2	*	2	2	12	4	13
O	5305-983-6640	SCREW, CAP, SOCKET HEAD, HEXAGON SOCKET: 7/16-14 UNC, 3 IN. LG MS16997-129 (96906)		EA	6								4	14
P O	8340-951-0993	SEGMENT, TENT FRAME ARCH: INTERMEDIATE RH 5-4-1082-2-2 (81337)		EA	1	*	2	2	*	2	2	12	4	15
A O	8340-127-3210	BRACKET ASSEMBLY: RH 5-4-1086-19 (81337)		EA	1								4	16
A O	8340-124-8212	BRACKET ASSEMBLY: LH 5-4-1086-18 (81337)		EA	1								4	16
P O	8340-951-1004	BRACKET, TENT DOOR POST: LEFT HAND 5-4-1086-18-1 (81337)		EA	1	*	*	2	*	*	2	10	4	17
P O	8340-951-1005	BRACKET, TENT DOOR POST: RIGHT HAND 5-4-1086-19-1 (81337)		EA	1	*	*	2	*	*	2	10	4	17
P O	8340-951-1006	SOCKET, TENT DOOR POST: RIGHT HAND 5-4-1086-19-2 (81337)		EA	1	*	*	2	*	*	2	10	4	18
P O	8340-951-1007	SOCKET, TENT DOOR POST: LH 5-4-1086-18-2 (81337)		EA	1	*	*	2	*	*	2	10	4	18
O	5306-012-6551	BOLT, SQUARE NECK: 5/8-11 UNC-2A X 2 IN. LG 126551 (00000)		EA	2								4	19
O	5310-050-3285	NUT, SELF-LOCKING, HEXAGON: 5/8-11 UNC-3B 503289 (00000)		EA	2								4	20
O	5305-988-1731	SCREW, PAN HEAD: 1/4-20 UNC-2A, 2 3/4 IN. LG MS35206-290 (96906)		EA	6								4	21
O	5310-823-8803	WASHER, PLAIN: 21/32 IN. ID X 1 5/16 IN. OD MS27183-21 (96906)		EA	2								4	22
O	5310-582-5965	WASHER, LOCK: 1/4 IN. MS35338-44 (96906)		EA	6								4	23
O	5310-176-8164	NUT, PLAIN, HEXAGON: 1/4-20 UNC-2B AN335-4 (88044)		EA	6								4	24
O	5310-809-4058	WASHER, PLAIN: 9/32 IN. ID X 5/8 IN. OD MS27183-10 (96906)		EA	12								4	25
O	5310-050-3267	NUT, SELF-LOCKING, HEXAGON: 1/4-20 UNC-3B 503267 (00000)		EA	6								4	26
MFO	8340-126-2582	EYE PIN AND CHAIN ASSEMBLY 5-4-1087-17 (81337) MANUFACTURE FROM: BOLT, EYE, SHOULDERED, 7/16 IN. DIA, 3 IN. LG SHANK, AS REQUIRED, FSN 5306-970-1223 WIRE, CRESCENT, AS REQUIRED, FSN 9505-288-6381 CHAIN, TWIST LINK, AS REQUIRED, FSN 4010-221-0738		EA	2								4	27

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REF NUMBER & MFR CODE	USABLE ON CODE	(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 30-DAY DS MAINT ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(7) 30-DAY GS MAINT ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(8) 1-YR ALW PER 100 EQUIP CNTGY	(9) ILLUSTRATION (a) FIG. NO.	(b) ITEM NO.
MFO	8340-126-2581	EYE NUT AND CHAIN ASSEMBLY 5-4-1087-16 (81337) MANUFACTURE FROM: BOLT, EYE, SHOULDERED, 7/16-14 UNC-2A, 3/16 IN. SHANK, 1 REQUIRED, FSN 5310-970-1228 WIRE, CRESCENT, AS REQUIRED, FSN 9505-288-6381 CHAIN, TWIST LINK, AS REQUIRED, FSN 4010-221-0738		EA	4								4	28
P O	8340-951-0994	SEGMENT, TENT FRAME ARCH: INTERMEDIATE, LH 5-4-1082-2-7 (81337)		EA	1	*	2	2	*	2	2	12	4	29
P O	8340-951-0990	SEGMENT, TENT FRAME ARCH: UPPER 5-4-1082-2-3 (81337)		EA	1	*	2	2	*	2	2	12	4	30
A O		ARCH, TENT FRAME: INTERMEDIATE SECTION 5-4-1082-4 (81337) (FOR MOUNTING HARDWARE, SEE FIG 4)		EA	8								5	1
P O	8340-951-0987	SEGMENT, TENT FRAME ARCH: LOWER, LEFT OR RH 5-4-1082-4-1 (81337)		EA	2	2	2	2	2	2	2	24	5	2
P O	8340-845-5369	ANCHOR PLATE, TENT: W/HOBNAILS ON BOTTOM SURFACE 5-4-1082-12-1 (81337)		EA	2	*	2	2	*	2	2	20	5	3
P O	8340-124-8133	SEGMENT ASSEMBLY, STRAIGHT: LEFT OR RH 5-4-1082-4-8 (81337)		EA	2	*	2	2	*	2	2	15	5	4
P F	8340-951-0986	JOINT, TENT ARCH SEGMENT: W/THREADED INSERT, NOT SLOTTED 5-4-1082 (81337)		EA	6	2	3	5	2	3	5	60	5	5
P O	8340-951-0989	SEGMENT, TENT FRAME ARCH: INTERMEDIATE LEFT OR RH 5-4-1082-4-2 (81337)		EA	2	*	2	2	*	2	2	15	5	6
P O	8340-951-0988	SEGMENT, TENT FRAME ARCH: UPPER 5-4-1082-4-3 (81337)		EA	1	*	2	2	*	2	2	15	5	7
P O	8340-127-3212	PURLIN, TENT: END ARCH, LOWER, 6 FT 5 3/4 IN. LG 5-4-1084-11 (81337)		EA	2	*	*	*	*	*	*	10	6	1
P F	8340-951-0984	FLANGE, TENT PURLIN: ARCH TO DOOR POST PURLIN, W/THREADED INSERT 5-4-1084-11-10 (81337)		EA	6	2	2	3	2	2	3	40	6	2
F	5315-844-3963	PIN, SPRING: 3/16 IN. DIA X 1/2 IN. LG MS16562-46 (96906)		EA	8								6	3
P O	8340-935-1713	SHAFT AND CLEVIS, ADJUSTING, TENT SKN6308 (81337)		EA	2	2	2	3	2	2	3	40	6	4
MFO		PIN, TOGGLE ASSEMBLY 5-4-1084-11 (81337) MANUFACTURE FROM: PIN, TOGGLE, 3/8 IN. DIA, 1 IN. LG, 1 REQUIRED, FSN 5315-970-1233 CHAIN, TWIST, LINK, No. 5, AS REQUIRED, FSN 4010-221-0738 WIRE, CRESCENT, AS REQUIRED, FSN 9505-288-6381		EA	4								6	5

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REF NUMBER & MFR CODE	USABLE ON CODE	(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 30-DAY DS MAINT ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(7) 30-DAY GS MAINT ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(8) 1-YR ALW PER 100 EQUIP CNTGY	(9) ILLUSTRATION (a) FIG. NO.	(b) ITEM NO.
P O	8340-124-8373	PURLIN, TENT: END ARCH, UPPER 5-4-1090-23 (81337)		EA	2	2	2	2	2	2	2	24	6	6
P F	8340-951-0982	FLANGE, TENT PURLIN: W/STUD 5-4-1090-23-11 (81337)		EA	2	2	2	3	2	2	3	30	6	7
P O	8340-845-4212	PURLIN, TENT: 3 FT 10 5/8 IN. LG, FEMALE AND MALE ENDS 5-4-1084-7 (81337)		EA	19	2	4	8	2	4	8	100	6	8
P F	8340-951-0983	FLANGE, TENT PURLIN: W/THREADED INSERT 5-4-1084-7-1-73 (81337)		EA	19	8	17	33	8	17	33	400	6	9
F	5305-175-5167	SCREW, DRIVE, ROUNDHEAD: NO. 12, 5/8 IN. LG MS21318-53 (96906)		EA	8								6	10
P O	8340-951-1008	PURLIN, TENT: 3 FT 10 5/8 IN. LG, FEMALE ENDS 5-4-1084-32 (81337)		EA	19	2	4	8	2	4	8	100	6	11
P O	8340-845-4211	PURLIN, TENT: 7 FT 10 5/8 IN. LG. FEMALE AND MALE ENDS 5-4-1084-8 (81337)		EA	19	4	8	16	4	8	16	190	6	12
AFO	8340-126-2589	DOOR POST ASSEMBLY: RH 5-4-1083-5-1 (81337)		EA	1								7	1
AFO	8340-126-2588	DOOR POST ASSEMBLY: LH 5-4-1083-6-1 (81337)		EA	1								7	1
P O	8340-454-9066	POST ASSEMBLY: RH 5-4-1083-5-37 (81337)		EA	1	*	*	2	*	*	2	6	7	2
P O	8340-454-9065	POST ASSEMBLY: LH 5-4-1083-6-31 (81337)		EA	1	*	*	2	*	*	2	6	7	2
P O	8340-853-4024	FASTENER, TENT PURLIN: DOOR POST 5-4-1087-28 (81337)		EA	2	*	2	2	*	2	2	20	7	3
P O	8340-845-5369	ANCHOR PLATE, TENT: W/HOBNAILS ON BOTTOM SURFACE 5-4-1084-12-1 (81337)		EA	2	REF	REF	REF	REF	REF	REF	REF	7	4
P O	8340-845-4209	DOOR POST SEGMENT TENT: RIGHT HAND 5-4-1083-5-2 (81337)		EA	1	*	*	2	*	*	2	6	7	5
P O	8340-845-4208	DOOR POST SEGMENT, TENT: LEFT HAND 5-4-1083-6-2 (81337)		EA	1	*	*	2	*	*	2	6	7	5
O	5310-050-3289	NUT, SELF-LOCKING, HEXAGON: 5/8-11 UNC-3B 503289 (00000)		EA	2								7	6
O	5310-809-8519	WASHER, PLAIN: 5/8 IN. ID X 1 3/4 IN. OD MS27183-22 (96906)		EA	2								7	7
P O	8340-951-0981	ARM, TENT DOOR CONTROL: RH, 6 FT LG 5-4-1083-5-5 (81337)		EA	1	*	*	2	*	*	2	6	7	8
P O	8340-050-8746	ARM, TENT DOOR CONTROL: LH, 6 FT LG 5-4-1083-6-5 (81337)		EA	1	*	*	2	*	*	2	6	7	8
MFO	8340-132-1109	PIN, TOGGLE ASSEMBLY 5-4-1083-5-31 (81337) MANUFACTURE FROM: PIN, TOGGLE, 1/2 IN. DIA, 7/8 IN. LG, 1 REQUIRED, FSN 5315-221-6348 WIRE, CRESCENT, AS REQUIRED, FSN 9505-288-6381		EA	4								7	9

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REF NUMBER & MFR CODE	USABLE ON CODE	(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 30-DAY DS MAINT ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(7) 30-DAY GS MAINT ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(8) 1-YR ALW PER 100 EQUIP CNTGY	(9) ILLUSTRATION (a) FIG. NO.	(b) ITEM NO.
		CHAIN, TWIST LINK, No. 5, AS REQUIRED, FSN 4010-221-0738												
P O	8340-845-5384	BRACE, TENT DOOR CONTROL ARM: LEFT OR RH 5-4-1083-5-3 (81337)		EA	2	*	*	2	*	*	2	10	7	10
MFO		ROPE: 3/4 IN. DIA 5-4-1083-5-34 (81337) MANUFACTURE FROM: ROPE, POLYESTER FIBER, 34 FT REQUIRED FOR EACH ARM CONTROL, FSN 4020-719-4609		EA	2								7	11
P F	5340-970-1229	CHAIN, BOLT: DOOR POST, RIGHT OR LH, 6 IN. LG 5-4-1083-5-19 (81337)		EA	2	*	*	2	*	*	2	10	7	12
X20		ROD, BOLT: CHAIN CONTROL 5-4-1083-5-18 (81337)		EA	2								7	13
X20		RETAINER, ROD 5-4-1083-5-15 (81337)		EA	2								7	14
O	5305-043-6728	SCREW, MACHINE, FLATHEAD: 10-24 UNC-2A, 1/4 IN. LG MS35225-59 (96906)		EA	2								7	15
O	5310-527-3288	WASHER, LOCK, INTERNAL TOOTH: 3/16 IN. ID X 3/8 IN. OD MS35333-22 (96906)		EA	2								7	16
MFO		LINE: 3/4 IN. DIA 5-4-1083-5-12 (81337) MANUFACTURE FROM: ROPE, POLYESTER FIBER, 8 FT 6 IN. REQUIRED, FSN 4020-719-4609		EA	2								7	17
O	5310-595-7421	NUT, SELF-LOCKING, HEXAGON: 1/2-13 UNC-3B AN365-813 (88044)		EA	2								7	18
O	5305-983-7466	SCREW, CAP, SOCKET HEAD: 1/2-13 UNC-2A, 2 3/4 IN. LG MS16997-148 (96906)		EA	2								7	19
O	5310-044-6230	WASHER, FLAT: 9/16 IN. ID 446230 (00000)		EA	2								7	20
P O	8340-845-4205	LOCK, TENT DOOR CONTROL ARM: LEFT OR RH 5-4-1083-5-8 (81337)		EA	2	*	*	2	*	*	2	10	7	21
F	5320-117-6884	RIVET: 5/32 IN. DIA X 7/16 IN. LG MS20426AD5-7 (96906)		EA	8								7	22
P O	8340-845-5387	DOOR SPAR ASSEMBLY 5-4-1086-10 (81337)		EA	1	2	2	3	2	2	3	35	8	1
F	5315-057-5541	PIN, SPRING, CRESCENT: 3/16 IN. BY 1 3/4 IN. MS16562-147 (96906)		EA	4								8	2
P F	8340-126-2583	DOOR SPAR 5-4-1086-10-1 (81337)		EA	1	2	2	4	2	2	4	50	8	3
P F	8340-126-2579	ROLLER AND SHAFT ASSEMBLY: DOOR SPAR 5-4-1086 (81337)		EA	2	2	2	4	2	2	4	50	8	4
F	5310-050-3289	NUT, SELF-LOCKING, HEXAGON: DOOR SPAR ROLLER, 5/8-11 UNC-3B 503289 (00000)		EA	2								8	5

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REF NUMBER & MFR CODE	USABLE ON CODE	(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 30-DAY DS MAINT ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(7) 30-DAY GS MAINT ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(8) 1-YR ALW PER 100 EQUIP CNTGY	(9) ILLUSTRATION (a) FIG. NO.	(b) ITEM NO.
F	5310-823-8803	WASHER, FLAT: DOOR SPAR ROLLER, 21/32 IN. ID X 1 5/16 IN. OD MS27183-21 (96906)		EA	4								8	6
P F	8340-951-0980	BLOCK, FILLER, TENT: W/BUSHING 5-4-1086-10-2 (81337)		EA	2	*	2	2	*	2	2	20	8	7
P F	5340-828-4229	SPRING, HELICAL, COMPRESSION: DOOR SPAR 5-4-1086-10-6 (81337)		EA	2	2	2	4	2	2	4	50	8	8
P F	8340-951-1003	ROLLER, TENT DOOR SPAR: NYLON 5-4-1086-10-3 (81337)		EA	2	12	25	50	12	25	50	600	8	9
M F		SHAFT: ROLLER DOOR SPAR 5-4-1086-10-4 (81337) MANUFACTURE FROM: BOLT, HEXAGON HEAD, AS MODIFIED, 5/8-11 UNC-2AX, 5 IN. LG, 1 REQUIRED, FSN 5306-145-0709		EA	2								8	10
A O		DOOR, WINCH AND TRANSOM CHORD ASSEMBLY 5-4-1085-1 (81337)		EA	2								9	1
P O	8340-951-0997	STRUT, TENT TRANSOM: 30 1/4 IN. LONG 5-4-1085-9-9 (81337)		EA	2	*	*	2	*	*	2	8	9	2
O	5305-269-3218	SCREW, CAP, HEXAGON HEAD: STRUT TRANSOM, 3/8-16 UNC-2AX, 2 1/2 IN. LG MS90725-68 (96906)		EA	2								9	3
O	5310-957-7128	NUT, SELF-LOCKING, HEXAGON: 3/8-16 UNC-3B MS17829-6 (96906)		EA	2								9	4
P F	8340-845-4229	TRANSOM, TENT: 12 FT 10 IN. LG 5-4-1085-9-1 (81337)		EA	1	*	*	*	*	*	*	4	9	5
F	5310-176-8164	NUT, PLAIN, HEXAGON: GUSSET PLATE, 1/4-20 UNC-2B AN335-4 (88044)		EA	5								9	6
F	5310-582-5965	WASHER, LOCK: GUSSET PLATE, 1/4 IN. MS35338-44 (96906)		EA	5								9	7
F	5305-988-1729	SCREW, MACHINE: GUSSET PLATE, 1/4-20 UNC-2A, 2 1/4 IN. LG MS35206-288 (96906)		EA	5								9	8
X2F		PLATE: SHIM, 3/16 IN. THK 5-4-1085-9-8 (81337)		EA	1								9	9
X2F		PLATE, GUSSET: TRANSOM CHORD, 3/16 IN. THK 5-4-1085-9-7 (81337)		EA	2								9	10
P F	8340-498-4141	HOIST ASSEMBLY 5-4-1085-9-5 (81337)		EA	1	*	*	*	*	*	*	4	9	11
F	5310-012-0377	NUT, HEXAGON: 3/8 IN., 16 UNC-2B MS35690-605 (96906)		EA	4								9	12
F	5310-044-6212	WASHER, FLAT: 3/8 IN. ID X 1 IN. OD 446212 (00000)		EA	4								9	13
F	5305-269-3209	SCREW, CAP, HEXAGON HEAD: 3/8-16 UNC-2A, 3/4 IN. LG MS90725-58 (96906)		EA	4								9	14
X2F		GUARD, HOIST 5-4-1085-9-6 (81337)		EA	1								9	15

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REF NUMBER & MFR CODE	USABLE ON CODE	(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 30-DAY DS MAINT ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(7) 30-DAY GS MAINT ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(8) 1-YR ALW PER 100 EQUIP CNTGY	(9) ILLUSTRATION (a) FIG. NO.	(b) ITEM NO.
F	5305-012-2854	SCREW, MACHINE, ROUNDHEAD: 10-24 UNC-2AX, 1/2 IN. LG MS35241-70 (96906)		EA	6								9	16
X2F		CHAIN, HOIST: No. 10, 38 FT LG 2-0 (13531)		EA	1								9	17
P F	8340-977-9033	CHAIN, ROLLER: HOIST DRIVE, 1/2 IN. PITCH, SINGLE, No. 41 40-1 (13531)		EA	1	*	*	*	*	*	*	4	9	18
P F	8340-126-2587	DOOR WINCH, SHAFT ASSEMBLY 5-4-1085-20 (81337)		EA	1	*	*	*	*	*	*	4	10	1
F	5315-058-6165	PIN, SPRING, STEEL: 5/16 IN. BY 2 3/4 IN. LG 586165 (00000)		EA	1								10	2
P F	8340-951-0998	SPROCKET: WINCH 5-4-1085-20-6 (81337)		EA	1	*	*	*	*	*	*	4	10	3
F	5305-068-0509	SCREW, CAP, HEXAGON HEAD: 1/4-20 UNC-2AX, 1 1/4 IN. LG MS90728-10 (96906)		EA	6								10	4
F	5310-582-5965	WASHER, LOCK: 1/4 IN. MS35338-44 (96906)		EA	6								10	5
P F	8340-845-5374	BRACKET AND BEARING, TENT DOOR WINCH SHAFT 5-4-1085-20-7 (81337)		EA	3	*	2	2	*	2	2	12	10	6
X1		CAP, BEARING 5-4-1085 (81337)		EA	3								10	7
X1		BEARING, NYLON 5-4-1085 (81337)		EA	3								10	8
X1		BRACKET 5-4-1085 (81337)		EA	3								10	9
X1		SPACER: BRACKET 5-4-1085 (81337)		EA	3								10	10
F	5305-781-3926	SCREW, CAP, HEXAGON HEAD: 3/8-16 UNC-2AX, 2 1/2 IN. LG MS90728-691 (96906)		EA	12								10	11
F	5310-012-0382	WASHER, LOCK: 3/8 IN. ID X 11/16 IN. OD 5-4-1085-9-25 (81337)		EA	12								10	12
F	5310-012-0377	NUT, PLAIN, HEXAGON: 3/8 IN., 16 UNC-2B MS35690-605 (96906)		EA	12								10	13
F	5310-044-6275	WASHER, FLAT: 1 IN. ID 446275 (00000)		EA	3								10	14
P F	8340-951-1001	SHAFT, TENT DOOR WINCH: 5 IN. LG 5-4-1085-20-3 (81337)		EA	1	*	*	*	*	*	*	4	10	15
F	5315-814-3531	PIN, SPRING, STEEL: 3/16 IN. BY 1 IN. LG MS16562-50 (96906)		EA	5								10	16
P F	8340-951-1002	SLEEVE, TENT DOOR WINCH SHAFT: WITHOUT DRUMS, 23 IN. LG 5-4-1085-20-4 (81337)		EA	1	*	*	*	*	*	*	4	10	17
P F	8340-951-1000	SHAFT, TENT DOOR WINCH: LEFT HAND, 9 IN. LG 5-4-1085-20-1 (81337)		EA	1	*	*	*	*	*	*	4	10	18
P F	8340-951-0979	SLEEVE, TENT DOOR WINCH SHAFT: WITH DRUMS, 6 FT 2 7/8 IN. LG 5-4-1085-20-5 (81337)		EA	2	*	*	*	*	*	*	4	10	19
P F	8340-951-0999	SHAFT, TENT DOOR WINCH: RIGHT HAND, 7 1/8 IN. LG 5-4-1085-20-2 (81337)		EA	1	*	*	*	*	*	*	4	10	20

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REF NUMBER & MFR CODE	USABLE ON CODE	(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 30-DAY DS MAINT ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(7) 30-DAY GS MAINT ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(8) 1-YR ALW PER 100 EQUIP CNTGY	(9) ILLUSTRATION (a) FIG. NO.	(b) ITEM NO.
MFO		CABLE AND TOGGLE PIN ASSEMBLY 5-4-1085-21 (81337) MANUFACTURE FROM: PIN, TOGGLE, 1 REQUIRED, FSN 8340-951-0996 WIRE, ROPE, AS REQUIRED, FSN 4010-222-4490		EA	2								10	21
		GROUP 04 - TENT ANCHORING COMPONENTS												
P O	4030-972-2670	ANCHOR, GROUND: 4 IN. ARROWHEAD, W/ANCHORING WIRE S244-1ANCHOR45-4-795 (81337) (COMPONENT OF KIT, FSN 8340-951-6423)		EA	50	100	200	250	100	200	250	5000	11	1
P O	5120-970-6412	ROD, DRIVING: STEEL S294-1ROD5-4-495 (81337) (COMPONENT OF KIT, FSN 8340-951-6423)		EA	2	*	*	*	*	*	*	*	11	2
P O	5120-970-6413	HANDLE, WOOD: DRIVING ROD S294-1HANDLE5-4-495 (81337) (COMPONENT OF KIT, FSN 8340-951-6423)		EA	2	*	*	*	*	*	*	*	11	3
P O	5120-051-8641	HEAD, DRIVING: STEEL 4-1-190 (81337) (COMPONENT OF KIT, FSN 8340-951-6423)		EA	2	*	*	*	*	*	*	*	11	4
P O	8340-823-7451	PIN, TENT, STEEL: 5/8 IN. DIA, 12 IN. LG MILP501 (81349)		EA	48	10	20	40	10	20	40	480	11	5
		GROUP 05 - ELECTRICAL EQUIPMENT												
A O		CIRCUIT BREAKER ASSEMBLY, WIRING HARNESS 5-4-1088-29 (81337)		EA	1								12	1
P O	5930-970-1230	SWITCH: WIRING HARNESS CIRCUIT BREAKER, WITH BOX 5-4-1088-29-1 (81337)		EA	1	*	*	2	*	*	2	10	12	2
O	5310-011-2432	NUT, HEXAGON: BRASS, No. 10-32 UNF-2B 112432 (00000)		EA	2								12	3
O	5310-616-6353	WASHER, FLAT: BRASS, No. 10 MS15795-6081 (96906)		EA	2								12	4
P O	5940-310-2584	TERMINAL, LUG: SOLDERLESS, No. 10 SCREW SIZE 5-4-1088-29-6 (81337)		EA	9	*	*	2	*	*	2	10	12	5
O	5310-012-0385	WASHER, PLAIN: STEEL, 1/4 IN. 120385 (00000)		EA	1								12	6
O	5305-053-1086	SCREW, MACHINE: FLATHEAD, BRASS, No. 10, 32 UNF-2A, 7/8 IN. LG MS35199-58 (96906)		EA	1								12	7
P O	5935-970-1231	CONNECTOR, ELECTRICAL: 2 SCREW 5-4-1088-29-5 (81337)		EA	1	*	*	2	*	*	2	10	12	8
O	5305-781-2074	SCREW, MACHINE: 1/4-28 UNF-2A, 5/16 IN. LG MS35191-286 (96906)		EA	2								12	9
X2F		HANGER: CIRCUIT BREAKER 5-4-1088-29-4 (81337)		EA	1								12	10

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REF NUMBER & MFR CODE	USABLE ON CODE	(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 30-DAY DS MAINT ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(7) 30-DAY GS MAINT ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(8) 1-YR ALW PER 100 EQUIP CNTGY	(9) ILLUSTRATION (a) FIG. NO.	(b) ITEM NO.
MFO		CORD, ELECTRICAL: LEAD, 6 FT LG 5-4-1088-29-7 (81337) MANUFACTURE FROM: CORD ASSEMBLY, 3 CONDUCTOR, No. 14 AWG, 6 FT REQUIRED, FSN 6150-179-8313		EA	1								12	11
MFO		CORD, ELECTRICAL: LEAD, 16 FT LG 5-4-1088-29-9 (81337) MANUFACTURE FROM: CORD ASSEMBLY, 3 CONDUCTOR, No. 14 AWG, 16 FT REQUIRED, FSN 6150-179-8313		EA	1								12	12
P F	6150-179-8313	CORD, ELECTRICAL: LEAD, 50 FT LG 5-4-1088-29-9A (81337)		EA	1	*	*	*	*	*	*	*	12	13
P O	5340-176-1620	HOOK, HANGAR, WIRE: CRESCENT 5-4-1088-29-11 (81337)		EA	37	2	2	4	2	2	4	50	12	14
P O	6230-970-1227	LIGHTING SET, GENERAL ILLUMINATION 5-4-1088-29-17 (81337)		EA	8	*	*	2	*	*	2	10	12	15
P O	6210-970-1232	GUARD, LAMP: LIGHTING AND OUTLET ASSEMBLY, 1 1/2 IN. COLLAR 5-4-1088-29-28 (81337)		EA	16	*	*	2	*	*	2	10	12	16
P O	6240-246-5052	LAMP, INCANDESCENT: LIGHTING AND OUTLET ASSEMBLY, ROUGH SERVICE 100w, 120v MS15411-2 (96906)		EA	16	5	10	21	5	10	21	250	12	17
		GROUP 06 - KITS AND SETS												
P O	8340-951-6423	KIT, GROUND ANCHOR, WITH AUXILIARY EQUIPMENT 5-4-795 (81337) (CONSISTING OF)		EA	1	*	*	*	*	*	*	100		
		50-ANCHOR, GROUND, 4 IN. ARROWHEAD, W/ANCHORING WIRE, FSN 4030-972-2670											11	1
		2-ROD, STEEL, DRIVING, FSN 5120-970-6412											11	2
		2-HANDLE, WOOD, DRIVING ROD HOLDER, FSN 5120-970-6413											11	3
		2-HEAD, DRIVING, FOR 4 IN. GROUND ANCHOR, FSN 5120-051-8641											11	4

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REF NUMBER & MFR CODE / USABLE ON CODE	(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 30-DAY DS MAINT ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(7) 30-DAY GS MAINT ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(8) 1-YR ALW PER 100 EQUIP CNTGY	(9) ILLUSTRATION (a) FIG. NO.	(b) ITEM NO.
		SECTION VI - SPECIAL TOOLS, TEST AND SUPPORT EQUIPMENT FOR DS AND GS MAINTENANCE GROUP 07 - TENT ACCESSORIES AND SPECIAL TOOLS											
P O	8340-262-2397	COVER, TENT AND LINER SECTIONS 5-4-369 (81337)	EA	5	*	*	2	*	*	2	10	13	1
P O	8340-252-2271	LINE, TENT, COVER MILL1709 (81349)	EA	10	2	2	2	2	2	2	24	13	2
P O	5325-231-6622	GROMMET, METALLIC: SIZE NO. 4 MILG16491 (81349)	EA	20	2	2	4	2	2	4	50	13	3
P O	8340-124-8214	ARCH, SPACER ASSEMBLY 5-4-1087-30 (81337)	EA	1	*	*	*	*	*	*	1	13	4
P O	5120-970-1222	WRENCH, OPEN END, FIXED: THIN DOUBLE HEAD TYPE, 1 39/64 IN. AND 2 11/16 IN., 12 IN. LG 5-4-1084-31 (81337)	EA	2	*	*	*	*	*	*	*	13	5
X20	5440-420-4913	LADDER ASSEMBLY 5-4-1090-33 (81337)	EA	1								13	6



ME 8340-219-24P/1

Figure No. 1 Tent Body



ME 8340-219-24P/2

Figure No. 2 End Arch Section And Vehicle Door



Figure No. 3 Liner Tent

ME 8340-219-24P/3



ME 8340-219-24P/4

Figure No. 4 Arch End Section



ME 8340-219-24P/5

Figure No. 5 Arch Intermediate Section



ME 8340-219-24P/6

Figure No. 6 Purlin



Figure No. 7 Door Post

ME 8340-219-24P/7



Figure No. 8 Door Spar

ME 8340-219-24P/8



ME 8340-219-24P/9

Figure No. 9 Door Winch And Transom Chord



Figure No. 10 Door Winch Shaft



ME 8340-219-24P/11

Figure No. 11 Tent Anchoring Components



Figure No. 12 Electrical Equipment



ME 8340-219-24P/13

Figure No. 13 Tent Accessories And Special Tools

Section VII. INDEX-FEDERAL STOCK NUMBER AND REFERENCE NUMBER CROSS-REFERENCE TO FIGURE AND ITEM NUMBER

Stock Number	Figure No.	Item No.
4030-972-2670	11	1
5120-970-6412	11	2
5120-970-6413	11	3
5305-012-2854	9	16
5305-053-1066	12	7
5305-068-0509	10	4
5305-781-2074	12	9
5305-781-3926	10	11
5305-983-6640	4	18
5305-988-1731	4	21
5306-012-6551	4	19
5310-011-2432	12	3
5310-012-0377	10	13
5310-012-0382	10	12
5310-012-0385	12	7
5310-044-6275	10	14
5310-050-3267	4	26
5310-050-3285	4	20
5310-176-8164	4	24
5310-582-5965	4	23
	10	5
5310-616-6353	12	4
5310-809-4058	4	25
5310-823-8803	4	22
5315-050-6165	10	2
5315-616-4261	4	7
5315-814-3531	10	16
5315-821-2437	4	6
5315-844-3963	6	3
5315-844-5830	4	4
5325-231-6622	13	3
5325-286-9554	2	7
5340-178-1620	12	14
5440-420-4913	13	6
5930-970-1230	12	2
5935-970-1231	12	8
5940-310-2584	12	5
6150-179-8313	12	13
6210-970-1232	12	16
6230-970-1227	12	15
6240-246-5052	12	17
8340-123-7696	4	9
8340-123-7699	4	3
8340-123-7799	1	22
8340-124-8131	4	10
8340-124-8132	4	13
8340-124-8133	5	4
8340-124-8212	4	16
8340-124-8214	13	4
8340-124-8373	6	6
8340-126-2580	4	12
8340-126-2581	4	28
8340-126-2582	4	27
8340-126-2587	10	1
8340-127-3210	4	16
8340-127-3212	6	1
8340-252-2271	13	2
8340-262-2397	13	1
8340-823-7451	11	5
8340-845-5369	5	3
8340-845-5374	10	6
8340-845-5382	4	5
8340-935-1713	6	4
8340-935-6341	1	9
8340-935-6342	1	2
8340-935-6343	1	10
8340-951-0979	10	19
8340-951-0982	6	7
8340-951-0984	6	2
8340-951-0985	4	11
8340-951-0986	5	5
8340-951-0987	5	2
8340-951-0988	5	7
8340-951-0989	5	6
8340-951-0990	4	30
8340-951-0991	4	2
8340-951-0992	4	8
8340-951-0993	4	15
8340-951-0994	4	29
8340-951-0998	10	3
8340-951-0999	10	20
8340-951-1000	10	18
8340-951-1001	10	15
8340-951-1002	10	17
8340-951-1004	4	17
8340-951-1005	4	17
8340-951-1007	4	18
8340-951-6423	11	1
8340-977-9033	9	18

Section VII. INDEX - FEDERAL STOCK NUMBER AND REFERENCE NUMBER CROSS-REFERENCE TO FIGURE AND ITEM NUMBER

Reference No.	Mfg Code	Fig No.	Item No.
AN335-4	88044	4	24
IPDESS35-7	81337	1	19
IPDESS35-9	81337	1	6
MILG16491	81349	13	3
MILL1709	81349	13	2
MILP501	81349	11	5
MS15581-2	96906	12	17
MS15795-6081	96906	12	4
MS16562-28	96906	4	7
MS16562-46	96906	6	3
MS16562-50	96906	10	16
MS16562-72	96906	4	4
MS16997-129	96906	4	14
MS27183-10	96906	4	25
MS27183-21	96906	4	22
MS35191-286	96906	12	9
MS35199-58	96906	12	7
MS35206-290	96906	4	21
MS35241-70	96906	9	16
MS35338-44	96906	4	23
		10	5
MS35690-605	96906	10	13
MS9048-178	96906	4	6
MS90728-10	96906	10	4
MS90728-691	96906	10	11
SKN6308	81337	6	4
S244-1ANCHOR5-4-795	81337	11	1
S294-1HANDLES5-4-495	81337	11	3
S294-1ROD5-4-495	81337	11	2
TE831	81337	1	1
		1	20
TE832-1	81337	1	2
TE832-2	81337	2	1
TE832-3	81337	1	18
TE833	81337	2	2
TE833-2	81337	2	4
TE833-3	81337	2	5
TE833-4	81337	2	6
TE833-5	81337	2	3
		2	7
TE833-6	81337	2	8
TE833-7	81337	1	16
TE834	81337	1	3
TE834-3	81337	1	4
TE834-5	81337	2	11
TE835-1	81337	1	7
TE835-5	81337	1	5
TE835-7	81337	1	8
TE836-3	81337	2	10
TE837	81337	1	9
TE837-2	81337	2	9
TE837-7	81337	1	21
TE838	81337	1	10
TE838-2	81337	1	17
TE838-3	81337	1	11
TE838-4	81337	1	12
TE839-1	81337	1	13
TE839-2	81337	1	14
TE839-3	81337	1	15
TE840-1	81337	3	1
TE840-2	81337	3	2
TE840-3	81337	3	3
TE840-4	81337	3	4
TE840-5	81337	3	5
112432	00000	12	3
120385	00000	12	6
126551	00000	4	19
2-0	13531	9	17
40-1	13531	9	18
446275	00000	10	14
5-4-1082	81337	5	5
		10	7
		10	8
		10	9
		10	10
5-4-1082-12-1	81337	5	3
5-4-1082-2	81337	4	1
5-4-1082-2-1	81337	4	2
5-4-1082-2-11	81337	4	10
5-4-1082-2-12	81337	4	13
5-4-1082-2-2	81337	4	15
5-4-1082-2-3	81337	4	30
5-4-1082-2-6	81337	4	8

Reference No.	Mfg Code	Fig No.	Item No.
5-4-1082-2-7	81337	4	29
5-4-1082-25	81337	4	11
5-4-1082-4	81337	5	1
5-4-1082-4-1	81337	5	2
5-4-1082-4-2	81337	5	6
5-4-1082-4-3	81337	5	7
5-4-1082-4-8	81337	5	4
5-4-1084-11	81337	6	1
5-4-1084-11-10	81337		
5-4-1084-12	81337	4	9
5-4-1084-13	81337	4	4
5-4-1084-31	81337	13	5
5-4-1085-20	81337	10	1
5-4-1085-20-1	81337	10	18
5-4-1085-20-2	81337	10	20
5-4-1085-20-3	81337	10	15
5-4-1085-20-4	81337	10	17
5-4-1085-20-5	81337	10	19
5-4-1085-20-6	81337	10	3
5-4-1085-20-7	81337	10	6
5-4-1085-21	81337		
5-4-1085-9-25	81337	10	12
5-4-1085-9-6	81337	9	15
5-4-1086-18-1	81337	4	17
5-4-1086-18	81337	4	16
5-4-1086-18-2	81337	4	18
5-4-1086-19	81337	4	16
5-4-1086-19-1	81337	4	17
5-4-1086-19-2	81337	4	18
5-4-1087-14	81337	4	5
5-4-1087-15	81337	4	12
5-4-1087-16	81337	4	28
5-4-1087-17	81337	4	27
5-4-1087-22	81337	1	22
5-4-1087-30	81337	13	4
5-4-1088-29	81337	12	1
5-4-1088-29-1	81337	12	2
5-4-1088-29-11	81337	12	14
5-4-1088-29-17	81337	12	15
5-4-1088-29-28	81337	12	16
5-4-1088-29-4	81337	12	10
5-4-1088-29-5	81337	12	8
5-4-1088-29-6	81337	12	5
5-4-1088-29-7	81337	12	11
5-4-1088-29-9	81337	12	12
5-4-1088-29-9A	81337	12	13
5-4-1090-23	81337	6	6
5-4-1090-23-11	81337	6	7
5-4-1090-33	81337	13	6
5-4-369	81337	13	1
5-4-795	81337	11	1
503267	00000	4	26
503289	00000	4	20
586165	00000	10	2

ITEMS NOT ILLUSTRATED

Stock Number	Group No.	Page No.
8310-988-1299	01	14
8310-988-1301	01	14

By Order of the Secretary of the Army:

W. C. WESTMORELAND,
General, United States Army,
Chief of Staff.

Official:

KENNETH G. WICKHAM,
Major General, United States Army,
The Adjutant General.

Distribution:

To be distributed in accordance with DA Form 12-25, Section I, (qty rqr block no. 278) organizational maintenance requirements for Tents.

☆ U.S.GOVERNMENT PRINTING OFFICE : 1989 O - 242-466 (3791)

PIN: 028534-000